




for an excellent finish

Coated Abrasive Stock Catalogue





for an excellent finish




CR 456 Z

Contents

General Information - Intro Pages

Belt Production Guide	6 Our Website	66
Hole System for Discs	8 Terms & Conditions of Sale	67
Hole System for Triangles & Strips	32 Our Website	66
Storage & Safety Recommendations	66 Terms & Conditions of Sale	67
Quality - Our trademark	66	

Discs	9	Rolls	46
Strips, Sheets & Sanding Sponges	32	Random Orbital Sander	22
Triangles	32	Hermes Polishing System	20
Flooring	40	Belts	51
Hermes Flex Cutting wheels & Grinding Discs	44-45	Spirally Wound Interlined Sleeves	63



Type	Code	Grain	Backing	Bonding		24	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800
BW 110	11000	AO	E	R	P																			
BW 114	11400	AO	F	RAS	P																			
BW 115	11500	AO	F	R	P																			
CB 115	11523	AO	F	RAS	P																			
BW 116	11600	AO	F	RPC	P																			
BS 118	11800	SC	F	RAS	+																			
BS 119	11900	SC	D	RAS	P																			
VC 152	15200	AO	D/C	R	P																			
VC 154-Longlife	15470	AO	B	RPL	P																			
RB 306 J-flex	30660	AO	J-flex	R	P																			
RB 308 J-flex	30860	SC	J-flex	RAS	P																			
RB 315 YX	31510	SC	Y	R	P																			
RB 317 J-flexW	31770	AO	J Flex w	R	P																			
RB 318 X	31823	SC	X	R	P																			
RB 320 X	32020	AO	X	R	P																			
RB 346 MJ	34602	AO	J	R	P																			
RB 346 23 MX	34623	AO	X	R	P																			
RB 346 J-flex	34660	AO	J-flex	R	P																			
RB 346 X-flex	34670	AO	X-flex	R	P																			
RB 375 Y	37530	SC	Y	R	P																			
RB 377 YX	37710	AO	YX	R	+																			
RB 406 J-flex	40660	AO	J-flex	RPC	P																			
CR 456 Z	45640	CER	Z	RPC	+																			
CR 456 J-flex	45660	CER	J-flex	RPC	+																			
CN 464 Z	46440	CER	Z	R	+																			
RB 480 24 YX	48024	ZA	YX	R	+																			
RB 484 44 Z	48444	ZA	Z	R	+																			
RB 486 44 Z	48644	ZA	Z	RPC	+																			
RB 515 X	51522	SC/CK	Xw	R	P																			
RB 535 X	53521	HM/AO	Xw	R	P																			
RB 535 Y	53530	HM/AO	Yw	R	P																			
RB 545 Y	54530	HM/AO	Yw	R	P																			
RB 555 X	55522	CK	Xw		-																			
GL 580	58000	-	Cloth	-	-																			
GL 581	58100	-	Cloth	-	-																			
WS Flex 18 C	61810	SC	C	R	P																			

Narrow Belts : 6-305mm width
 Narrow & Wide Belts : 6-1600mm width
 Rolls : 6 - 920mm width





Bonding	
R	Resin
RAS	Resin, Anti-Static
RPC	Resin, Procut
RPL	Resin, Prolub

Grain	
AO	Aluminium Oxide
CER	Ceramic
SC	Silicon Carbide
ZA	Zirconia Alumina
CK	Cork
HM	HERMESIT
MC	MERCURIT

Backing	
C waterproof	C weight Paper
D	D weight Paper
E	E weight Paper
F	F weight Paper
G	G weight Paper
J Flex	Very flexible cotton cloth
J	Light flexible cotton cloth
X Flex	Flexible cotton cloth
X	Heavy, semi flexible cotton cloth
YX	Semi-stiff cotton cloth - Waterproof
Y	Heavy duty semi-stiff synthetic cloth - Waterproof
Z	Heavy duty stiff synthetic cloth - Waterproof

Hole system	Description	Dimensions in the catalogue ϕ	Hermes EB No.
	Multihole - with punchless edges	75mm 125mm 150mm	150
	No holes	125mm 150mm	010
	punched, 8 x / ϕ 65mm with centre hole	125 x 18mm	019
	Punched, 8 x / ϕ 65mm	115mm 125mm 150mm	026
	Punched, 6 x / ϕ 80mm	115mm 125mm 150mm	027
	Punched, 8 x / ϕ 120mm with centre hole	150mm	036
	Punched, 8 x / ϕ 90mm with centre hole	125 x 18mm	119
	Punched, 6 x / ϕ 80mm with centre hole	150 x 18mm	127
	Punched, 8 x / ϕ 120mm + 6 x / ϕ 80mm with centre hole	150 x 18mm	135
	Punched, 8 x / ϕ 120mm + 8 x ϕ 65mm with centre hole	150 x 10mm	137

Hole system	Dimensions in the catalogue	Hermes EB No.
	88 x 95mm	020
	88 x 93mm	021
	99 x 147mm	022

Hole system	Dimensions in the catalogue	Hermes EB No.
	80 x 133mm 93 x 178mm 93 x 184mm	004
	115 x 230mm 115 x 280mm	001
	115 x 115mm	008
	70 x 420mm	012



Telephone: 0404 25725



Fax: 0404 25726



sales@justfasten.ie

Discs



Velour backed

Paper	10-17
MULTIHOLE	12
Cloth	18
Foam	19
Waffle	19
Backing Pads & Accessories	21



Self Adhesive

23

Plain backed

24

Waterproof Discs

25



Fibre Discs

Zirconia	26
Ceramic	27
Aluminium Oxide	27
Backing Pads	26-27

Fastlock system B

Aluminium Oxide	28
Ceramic	28
Zirconia	28
WEBRAX	28



Flap Discs

Zirconia	29
WEBRAX	29

Flap Wheels with Shaft

30



WEBRAX Discs

Velour Backed	31
Fibre Backed	31
Multiclean	31
Spindles	31


Polishing System

Lambswool Disc	20
Foam Polishing	20
Polishing Cloth	20



Random Orbital Sander

22



Velour backed Discs, VC 154-Longlife VEL

Medium weight, semi open aluminium oxide paper for sanding of lacquer, primer, filler and general purpose sanding.
Special coating prevents clogging.

Dia x CH (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
VC 154-Longlife VEL				
50 Ø	6340315	P 180	100	100
	6340316	P 240	100	100
	6340327	P 400	100	100
75 Ø	6220449	P 80	100	100
	6313411	P 180	100	100
	6340326	P 240	100	100
	6340329	P 400	100	100
115 Ø	6213693	P 120	100	600
	6213694	P 180	100	600
	6218454	P 220	100	600
	6226743	P 240	100	600
	6217462	P 320	100	600
	6238048	P 400	100	600
	6217463	P 500	100	600
	6255472	P 600	100	600
	6255473	P 800	100	600
	6296941	P 1000	100	600
	6257177	P 1200	100	600
125 Ø	6213667	P 180	100	600
	6210008	P 240	100	600
	6210639	P 320	100	600
	6209365	P 400	100	600
	6257180	P 600	100	600
	6256400	P 800	100	600
	125 Ø 8 x Ø 65mm PCD	6216446	P 120	100
6238039		P 150	100	600
6238040		P 180	100	600
6238043		P 220	100	600
6216447		P 240	100	600
6235193		P 320	100	600
150 Ø	6238049	P 400	100	600
	6205214	P 80	50	300
	6207064	P 100	100	600
	6205443	P 120	100	600
	6219583	P 150	100	600
	6208457	P 180	100	600
	6210861	P 220	100	600
	6219584	P 240	100	600
	6213666	P 320	100	600
	6208458	P 400	100	600
	6214098	P 500	100	600
	6263226	P 600	100	600
	6260760	P 800	100	600
	6261271	P 1200	100	600
6263625	P 1500	100	600	

Dia x CH (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
VC 154-Longlife VEL					
150 Ø x 18 6 x Ø 80mm PCD	6204191	P 80	50	300	
	6210313	P 100	100	600	
	6208787	P 120	100	600	
	6210503	P 150	100	600	
	6208794	P 180	100	600	
	6208798	P 220	100	600	
	6204381	P 240	100	600	
	6208799	P 280	100	600	
	6208800	P 320	100	600	
	6204382	P 400	100	600	
	6210314	P 500	100	600	
	6264770	P 600	100	600	
	6256396	P 800	100	600	
6255335	P 1200	100	600		
150 Ø x 18 8 x 120mm PCD	6207674	P 80	50	300	
	6210312	P 100	100	600	
	6208531	P 120	100	600	
	6207675	P 150	100	600	
	6208532	P 180	100	600	
	6210033	P 220	100	600	
	6207676	P 240	100	600	
	6206464	P 280	100	600	
	6208534	P 320	100	600	
	6207677	P 400	100	600	
	6210035	P 500	100	600	
	6258147	P 600	100	600	
	6258822	P 800	100	600	
6258823	P 1200	100	600		
6258824	P 1500	100	600		
150 Ø x 10 8 x 120mm PCD + 8 x 65mm PCD with centre hole	6250641	P 80	50	300	
	6250642	P 100	100	600	
	6250643	P 120	100	600	
	6250644	P 150	100	600	
	6250645	P 180	100	600	
	6250646	P 220	100	600	
	6250647	P 240	100	600	
	6250648	P 280	100	600	
	6250649	P 320	100	600	
	6250650	P 400	100	600	
	6250651	P 500	100	600	
	150 Ø x 18 8 x 120mm PCD + 6 x 80mm PCD with centre hole	6219579	P 80	50	300
		6236747	P 100	100	600
6219580		P 120	100	600	
6256294		P 150	100	600	
6232162		P 180	100	600	
6237020		P 220	100	600	
6239345		P 240	100	600	
6226212		P 280	100	600	
6226213		P 320	100	600	
6280088		P 360	100	600	
6226214		P 400	100	600	
6227506		P 500	100	600	
6261156		P 800	100	600	
6258182	P 1500	100	600		


*MOQ 1800pcs



VC 154-Longlife VEL



Please refer to page 21 for backing pads to suit these discs



Velour backed Discs - VC 151 - Longlife VEL

Medium weight, flexible open coated aluminium oxide paper for sanding glass fibre, paint, wood, G.R.P. and lacquer. Special coating prevents clogging.

Dia x CH (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
VC 151-Longlife VEL				
125 Ø 	6037864	P 80	50	300
	6037904	P 100	100	600
	6037611	P 120	100	600
	6037606	P 150	100	600
	6037582	P 180	100	600
	6037632	P 240	100	600
	6037593	P 320	100	600
125 Ø x 18 8 x Ø 90mm PCD 	6048149	P 80	50	300
	6051577	P 100	100	600
	6048150	P 120	100	600
	6052871	P 150	100	600
	6048163	P 180	100	600
	6038699	P 220	100	600
	6052876	P 240	100	600
	6113482	P 320	100	600
6038737	P 400	100	600	
150 Ø 	6016807	P 80	50	300
	6016808	P 100	100	600
	6016809	P 120	100	600
	6016810	P 150	100	600
	6016821	P 180	100	600
	6016822	P 220	100	600
	6016823	P 240	100	600
	6016824	P 320	100	600
	6016825	P 400	100	600
	150 Ø 8 x Ø 65mm 	6017101	P 80	50
6017102		P 100	100	600
6017103		P 120	100	600
6017104		P 150	100	600
6017106		P 220	100	600
6017107		P 240	100	600
6017108		P 320	100	600
150 Ø 6 x Ø 80mm PCD 	6016826	P 80	50	300
	6016827	P 100	100	600
	6016828	P 120	100	600
	6016829	P 150	100	600
	6016830	P 180	100	600
	6016831	P 220	100	600
	6016649	P 240	100	600
	6016832	P 320	100	600
6016833	P 400	100	600	

* MOQ 1800 pcs

Dia x CH (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
VC 151-Longlife VEL				
150 Ø x 18 6 x Ø 80mm PCD 	6018666	P 60	50	300
	6017361	P 80	50	300
	6018667	P 100	100	600
	6017362	P 120	100	600
	6018668	P 150	100	600
	6017363	P 180	100	600
	6018669	P 220	100	600
	6017364	P 240	100	600
	6017365	P 320	100	600
	6018671	P 360	100	600
	6017366	P 400	100	600
150 Ø x 18 8 x Ø 120mm PCD 	6016834	P 80	50	300
	6016835	P 100	100	600
	6016836	P 120	100	600
	6016837	P 150	100	600
	6016838	P 180	100	600
	6016839	P 220	100	600
	6016840	P 240	100	600
	6016841	P 320	100	600
	6132449	P 360	100	600
	6016842	P 400	100	600
150 Ø x 10 8 x 120mm PCD + 8 x 65mm PCD with centre hole 	6257871	P 180	100	600
	6257872	P 240	100	600
	6254030	P 320	100	600
	6254041	P 400	100	600



VC 151-Longlife VEL

Please refer to page 21 for backing pads to suit these discs



MULTIHOLE Discs - DUST FREE SANDING

Product description

The end of the tool life of a disc is frequently determined by premature loading with dust. Although conventional extraction processes reduce loading, they cannot prevent it across the whole of the tool surface, in particular. By the patented **Hermes MULTIHOLE abrasives (EP Patent 0781629/US Patent 5,810,650)** it is possible to sand virtually cleanly without the symptoms of loading. Perforation of the whole of the surface of the disc enables dust to be extracted efficiently from the entire surface of the tool.

The benefits for you:

- longer tool life compared to conventional extraction methods
- more economical sanding in comparison to net-like abrasive tools
- better surface quality: cooling flow of air over the whole surface of the disc reduces sanding temperature
- reduced problems with sanding dust on sanded surfaces
- Hermes MULTIHOLE discs can be used universally on all conventional backing pads with extraction holes


Sanding tasks

- for initial and fine sanding of filler, primer and lacquer
- sanding off layers of lacquer
- intermediate and fine sanding of plastics and fibre-composite materials such as glass-fibre reinforced plastic
- fine sanding of car body parts made of steel and aluminium
- the open structure means it can also be used for manual sanding

HERMES MULTIHOLE PRODUCT LINE

Type	VC 151-Longlife VEL, MULTIHOLE	VC 154-Longlife VEL, MULTIHOLE	WS flex 16 VEL, MULTIHOLE
Abrasive grain	Aluminium oxide	Aluminium oxide	Silicon carbide
Bonding	Resin, with Longlife coating	Resin, with Longlife coating	Resin, waterproof
Backing	flexible Special-C-weight paper	B-weight paper	B-weight paper
Coating	open	semi-open	closed
Grit range	P 60 - P 240, P 320 - P 500	P 80 - P 1500	P 400, P 600, P 800, + 2000
Application	especially suitable for high stock removal rates	especially suitable for fine sanding filler, primer and old lacquer	especially suitable for fine sanding of extremely hard lacquer
Delivery forms	 		
Accessories backing pads	Hermes MULTIHOLE discs can be used on all conventional backing pads with extraction holes. A prerequisite is the depth of the velcro layer of conventional backing pads (no mikrolett backing pads). The ideal extraction result is achieved when discs are used on the special MULTIHOLE velcro backing pad; this is available in four hardnesses.		
Accessories handblocks	Hermes MULTIHOLE rolls can be used on all Hermes Handblocks as well as on all conventional orbital sander with dust extraction.		

MULTIHOLE PRINCIPLE




The perforation of the whole of the disc means that the extraction air flow can act over the entire area of the abrasive tool.



DUST FREE SANDING

In contrast to the MULTIHOLE system, discs with conventional extraction holes show typical loading patterns in the centre and the formation of "build-up" on the abrasive grain. The perforation of the whole of the disc means that the extraction air flow can act over the entire area of the abrasive tool. This gives longer disc life, lower dust in the workplace and the reduction of the 'pigtail' effect.





MULTIHOLE Discs

Medium weight aluminium oxide paper with patented dust extraction system and special top coat to extend life on all applications

Dia (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
VC 154-Longlife VEL MULTIHOLE				
125 Ø MULTIHOLE	6388105	P 80	100	600
	6223849	P 120	100	600
	6223861	P 180	100	600
	6225689	P 220	100	600
	6217890	P 240	100	600
	6225690	P 280	100	600
	6217891	P 320	100	600
	6217892	P 400	100	600
150 Ø MULTIHOLE	6213272	P 80	50	300
	6213273	P 100	100	600
	6213274	P 120	100	600
	6212981	P 150	100	600
	6213275	P 180	100	600
	6213276	P 220	100	600
	6212982	P 240	100	600
	6213277	P 280	100	600
	6213278	P 320	100	600
	6213280	P 400	100	600
	6213281	P 500	100	600
	6257049	P 600	100	600
	6254025	P 800	100	600
	6300660	P 1000	100	600
	6254026	P 1200	100	600
	6254027	P 1500	100	600

Medium weight, flexible open coated aluminium oxide paper with patented dust extraction system for use on glass fibre, paint and wood, G.R.P. & lacquer

Dia (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
VC 151-Longlife VEL MULTIHOLE				
75 Ø MULTIHOLE	6173594	P 240	100	600
	6151742	P 320	100	600
	6174558	P 400	100	600
	6174581	P 500	100	600
125 Ø MULTIHOLE	6307376	P 60	50	300
	6173275	P 80	50	300
	6169212	P 120	100	600
	6151593	P 150	100	600
	6179505	P 180	100	600
	6182141	P 220	100	600
	6177716	P 240	100	600
	6178769	P 320	100	600
150 Ø MULTIHOLE	6174241	P 400	100	600
	6174028	P 500	100	600
	6306901	P 60	50	300
	6154174	P 80	50	300
	6156996	P 100	100	600
	6150977	P 120	100	600
	6151591	P 150	100	600
	6150978	P 180	100	600
	6154419	P 220	100	600
	6151193	P 240	100	600
	6150979	P 320	100	600
	6156997	P 360	100	600
	6151131	P 400	100	600
	6151194	P 500	100	600

Waterproof silicon carbide paper with patented dust extraction system for use on paint and lacquer

Dia (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
WS Flex 16 VEL MULTIHOLE				
150 Ø MULTIHOLE	6208832	P 600	100	600
	6151221	P 800	100	600


*MOQ 1800 pcs

Please refer to page 21 for backing pads to suit these discs


NEW SIZES NOW AVAILABLE:

SIZE	MOQ
180MM Ø	1500PCS
200MM Ø	1500PCS
225MM Ø	500PCS


Please call our office on 0404 25725




WS Flex 16 VEL MULTIHOLE



VC 154-LL VEL MULTIHOLE



VC 151-LL VEL MULTIHOLE




Velour backed Discs - VC 152 VEL

Medium weight open coat aluminium oxide paper for wood, metal, glass fibre, paint, filler and lacquer

Dia x CH (mm)	Order Code	Grit	Packing Unit		Dia x CH (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer				Inner	Outer
VC 152 VEL					VC 152 VEL				
115 Ø 	6075322	P 40	50	300	150 Ø 8 x Ø 65mm PCD 	6075303	P 40	50	300
	6075323	P 60	50	300		6075304	P 60	50	300
	6075324	P 80	50	300		6075305	P 80	50	300
	6075325	P 100	100	600		6075306	P 100	100	600
	6075326	P 120	100	600		6075307	P 120	100	600
	6075327	P 150	100	600		6075291	P 150	100	600
	6075328	P 180	100	600		6075292	P 180	100	600
	6075330	P 220	100	600		6064114	P 220	100	600
	6075331	P 240	100	600		6064116	P 240	100	600
	6075333	P 320	100	600		6075294	P 320	100	600
	6075334	P 400	100	600		6075295	P 400	100	600
	125 Ø 	6071636	P 40	50		300	150 Ø 6 x Ø 80mm PCD 	6069408	P 40
6071634		P 60	50	300	6069409	P 60		50	300
6068896		P 80	50	300	6071600	P 80		50	300
6068897		P 100	100	600	6071645	P 100		100	600
6073256		P 120	100	600	6064246	P 120		100	600
6079432		P 150	100	600	6064247	P 150		100	600
6080217		P 180	100	600	6073145	P 180		100	600
6073887		P 220	100	600	6064248	P 220		100	600
6082993		P 240	100	600	6075296	P 240		100	600
6082994		P 320	100	600	6075297	P 280		100	600
6082996		P 400	100	600	6072626	P 320		100	600
125 Ø 8 x Ø 65mm PCD 		6075308	P 40	50	300	150 Ø x 18 8 x Ø 120mm PCD 		6069403	P 40
	6075309	P 60	50	300	6069404		P 60	50	300
	6075310	P 80	50	300	6068327		P 80	50	300
	6074822	P 100	100	600	6069405		P 100	100	600
	6068361	P 120	100	600	6068329		P 120	100	600
	6075311	P 150	100	600	6068331		P 150	100	600
	6075312	P 180	100	600	6072482		P 180	100	600
	6075313	P 220	100	600	6074792		P 220	100	600
	6074824	P 240	100	600	6068383		P 240	100	600
	6075314	P 280	100	600	6075299		P 280	100	600
	6074825	P 320	100	600	6073214		P 320	100	600
	6074826	P 400	100	600	6068384		P 400	100	600
150 Ø 	6075300	P 40	50	300	 				
	6075301	P 60	50	300					
	6066999	P 80	50	300					
	6069353	P 100	100	600					
	6063215	P 120	100	600					
	6069351	P 150	100	600					
	6072486	P 180	100	600					
	6074066	P 220	100	600					
	6075302	P 240	100	600					
	6075199	P 280	100	600					
	6074068	P 320	100	600					
	6074069	P 400	100	600					

VC 152 VEL


Please refer to page 21 for backing pads to suit these discs



Velour backed Discs - VC 153 VEL

Heavy weight aluminium oxide paper for sanding all metal & wood types

Dia x CH (mm)	Order Code	Grit	Packing Unit		Dia x CH (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer				Inner	Outer
VC 153 VEL					VC 153 VEL				
50 Ø 	6218683	P 60	100	100	150 Ø 	6121324	P 24	50	300
	6224040	P 80	100	100		6121325	P 36	50	300
	6224041	P 100	100	100		6126686	P 40	50	300
	6224042	P 120	100	100		6148442	P 50	50	300
115 Ø 	6178334	P 40	50	300		6115300	P 60	50	300
	6196489	P 50	50	300		6116338	P 80	50	300
	6142691	P 60	50	300		6116339	P 100	100	600
	6119735	P 80	50	300		6116343	P 120	100	600
	6126216	P 100	100	600		6116347	P 150	100	600
	6119736	P 120	100	600		6119477	P 180	100	600
	6119737	P 150	100	600	6115401	P 220	100	600	
125 Ø 	6156993	P 180	100	600	150 Ø 6 x Ø 80mm PCD 	6119729	P 40	50	300
	6116342	P 40	50	300		6119731	P 60	50	300
	6116344	P 50	50	300		6121095	P 80	50	300
	6116345	P 60	50	300		6126103	P 100	100	600
	6116346	P 80	50	300		6119732	P 120	100	600
	6116332	P 100	100	600		6119309	P 150	100	600
	6116348	P 120	100	600		6119310	P 180	100	600
	6116349	P 150	100	600		150 Ø x 18 8 x Ø 120mm PCD 	6119893	P 40	50
6116336	P 180	100	600	6128256			P 50	50	300
125 Ø 8 x Ø 65mm PCD 	6128362	P 40	50	300			6116550	P 60	50
	6128363	P 60	50	300	6123081		P 80	50	300
	6119305	P 80	100	600	6116601		P 100	100	600
	6128364	P 100	100	600	6121240		P 120	100	600
	6119306	P 120	100	600	6120756		P 150	100	600
	6119307	P 150	100	600	6121238		P 180	100	600
	6119308	P 180	100	600	6117086	P 220	100	600	
	125 Ø x 18 8 x Ø 90mm PCD with centre hole 	6213730	P 40	50	300				
6213771		P 60	50	300					
6129752		P 80	100	600					
6154882		P 100	100	600					
6127336		P 120	100	600					
6127338		P 150	100	600					
6175574		P 180	100	600					



See page 39 for VC 153 VEL material in sizes for the flooring range

VC 153 VEL

Please refer to page 21 for backing pads to suit these discs




Velour backed Discs - BW 184 Vel

Zirconia alumina paper discs for sanding metal & all heavy duty grinding applications					
Dia (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
BW 184 Vel					
125 Ø 	6016895	P 60		50	300
	6138427	P 80		50	300
150 Ø 	6154654	P 24		50	300
	6154655	P 36		50	300
	6016892	P 40		50	300
	6016896	P 60		50	300
	6137784	P 80		50	300
	6154656	P 100		50	600
	6154657	P 120		50	600
180 Ø 	6156139	P 24		25	125
	6156391	P 36		25	125
	6064279	P 40		25	125
	6064291	P 60		50	250
	6156134	P 80		50	250
	6156132	P 100		50	250
	6156140	P 120		50	250
200 Ø 	6147549	P 36		25	125
	6086786	P 40		25	125
	6040906	P 60		50	250
	6139348	P 80		50	250
	6147552	P 100		50	250
	6147553	P 120		50	250



BW 184 VEL

Please refer to page 21 for backing pads to suit these discs



Velour backed Discs - BS 118 VEL

Heavy duty silicon carbide paper for use on stone and corian

Dia x CH (mm)	Order Code	Grit	Packing Unit		Dia x CH (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer				Inner	Outer
BS 118 VEL					BS 118 VEL				
115 Ø	55336	P 40	50	300	150 Ø	6136200	P 16	25	150
	48275	P 60	50	300		6137128	P 24	50	300
	140198	P 80	50	300		6154566	P 36	50	300
	48283	P 120	100	600		56618	P 40	50	300
	48305	P 180	100	600		56626	P 60	50	300
	48291	P 220	100	600		114693	P 80	50	300
	48313	P 320	100	600		216445	P 100	100	600
	17078	P 400	100	600		79286	P 120	100	600
	78476	P 600	100	600		71226	P 180	100	600
	1202952	P 800	100	600		32816	P 220	100	600
	1202960	P 1000	100	600		32824	P 320	100	600
	1202979	P 1200	100	600		32832	P 400	100	600
120 Ø	18899	P 40	50	300	32859	P 600	100	600	
	18880	P 60	50	300	6000518	P 800	100	600	
	20354	P 80	50	300	6005402	P 1200	100	600	
	20397	P 100	100	600	150 Ø x 18 8 x Ø 120mm PCD	270717	P 40	50	300
	18872	P 120	100	600		306924	P 60	50	300
	63924	P 180	100	600		306932	P 80	50	300
	18864	P 220	100	600		190608	P 120	100	600
	29726	P 320	100	600		190632	P 220	100	600
	18856	P 400	100	600		270725	P 320	100	600
	19984	P 600	100	600		190616	P 400	100	600
	957356	P 800	100	600		190624	P 600	100	600
	6003912	P 1000	100	600		6005469	P 800	100	600
957364	P 1200	100	600	180 Ø		6154567	P 16	25	125
443123	P 40	50	300			6137129	P 24	25	125
601500	P 60	50	300			6154568	P 36	25	125
151106	P 80	50	300		56634	P 40	25	125	
151114	P 120	100	600		56642	P 60	50	250	
151122	P 180	100	600		57037	P 80	50	250	
151130	P 220	100	600		57061	P 100	50	250	
670324	P 320	100	600		57088	P 120	50	250	
151149	P 400	100	600		714267	P 180	50	250	
695076	P 600	100	600		57118	P 220	50	250	
1383043	P 800	100	600		57126	P 320	50	250	
1386719	P 1000	100	600		57134	P 400	50	250	
1383051	P 1200	100	600	358665	P 600	50	250		
					1175173	P 800	50	250	



BS 118 VEL

Please refer to page 21 for backing pads to suit these discs

○ Velour backed Discs, Cloth

HERMESIT Premium 'patented' hollow sphere cloth discs offering consistent finish & exceptional long life					
Dia (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
RB 530 J VEL					
125 Ø 	6359896	P 120		50	300
	6359881	P 150		50	300
150 Ø 	6359888	P 120		50	300

Aluminium oxide velour backed discs for all metalworking applications					
Dia (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
RB 346 87 MX VEL					
115 Ø 	6037553	P 40		50	300
	6037561	P 60		50	300
	6014900	P 80		50	300
	6037922	P 120		50	300
125 Ø 	6018691	P 40		50	300
	6037677	P 60		50	300
	6015530	P 80		50	300
	6005080	P 100		100	600
	6036940	P 120		100	600
150 Ø 	6015898	P 80		50	300

Silicon carbide/Cork X weight Cotton cloth for super-finishing stainless steel and nickel alloys					
Dia (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
RB 515 X VEL					
125 Ø 	6321266	P 280		20	20
	6321267	P 400		20	20
	6321070	P 800		20	20

Ceramic high performance disc for grinding stainless steel, titanium and nickel alloys					
Dia (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
CR 456 Z VEL					
125 Ø 	6316707	P 40		50	50
	6316420	P 60		50	50
	6316421	P 80		50	50
	6316422	P 120		50	50



RB 530 J VEL



RB 346 87 MX VEL



RB 515 X VEL



CR 456 Z VEL



FOAM - Discs & Sheets

FN 915 VEL - silicon carbide foam backed, mesh velour material for fine finishing of primer, filler, lacquers, corian and G.R.P. Suitable for wet & dry applications, by hand or machine, very fine surface finishes achievable

Dia (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
FINENET FN 915 VEL				
80 Ø	6341869	+ 240	20	20
	6341870	+ 360	20	20
	6341871	+ 500	20	20
	6341872	+ 600	20	20
	6341873	+ 800	20	20
	6341874	+ 1000	20	20
125 Ø	6341875	+ 240	20	20
	6341876	+ 360	20	20
	6338922	+ 500	20	20
	6341877	+ 600	20	20
	6341878	+ 800	20	20
	6338923	+ 1000	20	20
150 Ø	6339062	+ 240	20	20
	6339063	+ 360	20	20
	6339064	+ 500	20	20
	6339065	+ 600	20	20
	6339066	+ 800	20	20
	6337485	+ 1000	20	20
150 Ø	6343277	+ 240	20	20
	6345119	+ 360	20	20
	6342429	+ 500	20	20
	6343071	+ 600	20	20
	6343072	+ 800	20	20
	6343073	+ 1000	20	20

Dia (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
FINENET FN 915 VEL				
115 x 140	6343333	+ 240	200	200
	6343334	+ 360	200	200
	6339996	+ 500	200	200
	6343335	+ 600	200	200
	6343336	+ 800	200	200
	6332539	+ 1000	200	200

*MOQ 5,000 pcs



Metal processing, Marine industry

Furniture industry / Kitchen cabinetry/interiors

Product Features & Benefits -

- 5mm thick flexible foam
- Light velour backing
- Markets / Applications -
Automotive OEM, auto repair & aircraft OEM



WAFFLE - Velour backed Foam polishing pads

Product Features & Benefits -

- For fast and cool polishing
- Reduction of hologram effects on painted surfaces
- Maximum polishing efficiency through specific adaptability of the cell structure
- Reduced wear due to use of special foams with high wear-resistance
- Optimised polish absorption and thus less spray

SOFT

MEDIUM



- Provides in the shortest time a perfect high gloss finish
- Delivers a smoother polishing action by reducing heat build-up
- Washable

- Removing holograms or restoring weathered lacquers
- Reduces spraying of the polish compound
- Suitable for most polishing systems

Dia (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
SOFT - Black				
80x25	6270322	-	50	50
100x25	6270332	-	50	50
130x25	6270333	-	50	50
150x25	6270335	-	50	50

Dia (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
MEDIUM - Orange				
80x25	6055617	-	50	50
100x25	6268125	-	50	50
150x25	6268126	-	50	50



Polishing System

Lambswool Polishing Disc					
Dia (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
Lambswool					
80 Ø	1357328	-	10	10	
133 Ø	6077696	-	10	10	
150 Ø	6206790	-	10	10	
180 Ø	6245239	-	10	10	



Lambswool

Foam Polishing Discs					
Dia (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
Polishing Discs					
80 x 25mm Ø	6128471	Hard	8	8	
	6128472	Medium	8	8	
	6128473	Soft	8	8	
130 x 25mm Ø	6128476	Medium	3	3	
	6128477	Soft	3	3	
150 x 25mm Ø	6128479	Hard	2	2	
	6128480	Medium	2	2	
	6128481	Soft	2	2	



Foam Polishing

Hermes Microfibre Polishing cloth					
Dia (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
Polishing cloth					
320 x 320mm	6209914	-	50	50	



Microfibre Polishing cloth

Polishing fluids are also available. Please call our office on 0404 25725



Backing Pads, Handblocks for Velour Discs



Flexible handpad with loop for manual sanding using velour backed discs

Pad Ø (mm)	Disc Ø (mm)	Order Code			Packing Unit	
					Inner	Outer
148	150	6010337			1	1



Handblocks for use with 150 mm Ø velour backed discs.

Dia (mm)	Order Code			Packing Unit	
				Inner	Outer
150 Ø	6086496			1	1

VEL Backing Pads for random orbital sanding machines



Pad Ø (mm)	Disc Ø (mm)	Order Code	Pattern		Packing Unit	
					Inner	Outer
123	125	6093577			1	1
no holes						
with 5/16" UNF external thread						
123	125	6151581			1	1
8 x 65mm						
with 5/16" UNF external thread						
147	150	6017058			1	1
6 x 80mm with M8 & 5/16" screw						
147	150	6019518			1	1
6 x 80mm 5/16" UNF external thread						
147	150	6017059			1	1
8 x 120mm						
with centre hole with M8 screw						
148	150	6002347			1	1
without holes,						
with 5/16" UNF external thread						

Klettogrip - Hook and loop adhesive product - For converting self stick to velour



Width (mm) x length	Order Code			Packing Unit	
				Inner	Outer
115 x 1M	6331445			1	1

VEL Backing Pads for angle grinding machines



Pad Ø (mm)	Disc Ø (mm)	Order Code	Pattern		Packing Unit	
					Inner	Outer
123	125	57282			1	1
Backing Pad J with bevelled edge						
No holes, with M14 thread						
123	125	47724			1	1
Backing Pad-X						
No holes, with M14 thread						

VEL Backing Pads MULTIHOLE for random orbital sanding



Pad Ø (mm)	Disc Ø (mm)	Order Code	Pattern		Packing Unit	
					Inner	Outer
123	125	6415181			1	1
bevelled edge, soft, Blue						
123	125	6415180			1	1
bevelled edge, medium, Green						
123	125	6415182			1	1
bevelled edge, hard, Purple						
147	150	6389958			1	1
bevelled edge, soft, Blue						
147	150	6389957			1	1
bevelled edge, medium, Green						
147	150	6389959			1	1
bevelled edge, hard, Purple						

VEL Soft Pads




Pad Ø (mm)	Disc Ø (mm)	Order Code	Pattern		Packing Unit	
					Inner	Outer
123	125	6136993			1	1
No holes, with M14 thread						
123	125	6271667			1	1
Multihole, with adaptor						
147	150	6240565			1	1
Multihole, with adaptor						

Further hole patterns are available from Euro stock.

Please contact our Customer Services Dept if the Backing Pad you require is not shown

○ Random Orbital Sander



see below for product details

New and safe: The high-performance, pneumatic Hermes Random Orbital Sander increases working security and in accordance with EU security regulations (EN 792-8 : 2001).

Benefits you will appreciate:

- **Optimum handling** – Provided by ergonomically-shaped, non-slip handle.
- **Curved alloy steel lever** – To guarantee accurate switching on and off, even under extreme conditions of use.
- **Additional security bolt** – Prevents unintentional activation of the sander, increasing working security.
- **Perfect machine control** – Compressed air rate accurately controlled by a high-performance valve.
- **Speed can be set exactly** – By manual speed control “on the fly” while working.
- **“Long life” bearings** – Assured by new AirShield technology which protects the ball bearing from dirt and loss of lubricant.
- **2-directional load possible** – As a result of long-life, dual-row, deep-groove ball bearing which can simultaneously absorb axial and radial loads.
- **Optimum dust extraction** – From precisely-weighted Hermes backing pads and sturdy extraction dome.
- **Long, maintenance-free working** – Assured by low-vibration high-performance rotor motor with a high degree of efficiency and low air consumption.

STOCK PROGRAMME OF SANDERS

for machine	Disc Dia	Order Code
5mm	150 dia	6187945
	125 dia	6187943
2.5mm	150 dia	6187946
	125 dia	6187944
	75 dia	6187942



Service kits also available. Please call Customer Services for details

SUPPLIED FREE WITH EVERY SANDER DEAL



Hermes Random Orbital Kit

- 1x VEL-Backing pad MULTIHOLE, medium
- 15x Velour-backed discs VC 151-Longlife, MULTIHOLE
- 1x Air Inlet (compressed air inlet), Ø ¼"
- 1x Dust extraction adapter, Ø 1"
- 1x Precision engineering oil



Self Adhesive Discs

Heavy weight aluminium oxide paper for sanding all metal types					
Dia (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
BW 110 SK					
150 Ø	6227331	P 80		50	300
200 Ø	6239328	P 60		50	250
	6225973	P 80		50	250
	* 6228403	P 120		100	500
	* 6228404	P 150		100	500
230 Ø	6222029	P 60		50	50
	6223688	P 80		50	50
250 Ø	6222030	P 40		50	50
	6222041	P 60		50	50
	6223687	P 80		50	50
	6226443	P 60		50	50
300 Ø	6225853	P 80		50	50
	6231497	P 100		50	50

Medium weight open coat aluminium oxide paper for wood, metal, glass fibre and paint					
Dia (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
VC 152 SK					
125 Ø 	6096603	P 80		50	50
150 Ø 	6094338	P 40		50	300
	6094339	P 60		50	300
	6094340	P 80		50	300
	6083438	P 100		100	600
	6094342	P 150		100	600
	6094343	P 180		100	600
	6094346	P 220		100	600
150 Ø 6 x 80mm PCD 	6094349	P 40		50	300
	6094350	P 60		50	300
	6094351	P 80		50	300
	6094352	P 100		100	600
	6094353	P 120		100	600
	6094354	P 150		100	600
	6094355	P 180		100	600
	6094358	P 240		100	600




Flexible silicon carbide paper for finishing & denibbing wood, paint, lacquer and U.P.V.C					
Dia (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
SF 168 SK					
110 Ø 	6120716	P 150		200	1200
	6340955	P 180		200	1200
	6340956	P 240		200	1200
	6340957	P 320		200	1200
	6354276	P 400		200	1200
	6355332	P 500		200	1200
125 Ø 	6120225	P 80		100	600
	6120226	P 100		200	1200
	6120230	P 120		200	1200
	6120231	P 150		200	1200
	6340958	P 180		200	1200
	6340959	P 240		200	1200
	6118625	P 280		200	1200
	6340960	P 320		200	1200
	6343356	P 400		200	1200
	6352399	P 500		200	1200
150 Ø 	6117966	P 60		100	600
	* 6118612	P 80		100	600
	6343366	P 120		100	100
	6341036	P 180		100	100
	* 6131693	P 220		100	100
	6342583	P 240		100	100
	6342585	P 320		100	100
	6343367	P 400		100	100
6343365	P 500		100	100	

Medium weight aluminium oxide abrasive paper for sanding lacquer, composites, wood & metal. Special coating prevents clogging.					
Dia (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
VC 154-Longlife SK					
150 Ø 	6327516	P 100		100	600
	6331096	P 120		100	600
	6330467	P 150		100	600
	6327517	P 180		100	600
	6324859	P 240		100	600
	* 6327344	P 320		100	600
	6327345	P 400		100	600
	150 Ø 6 x 80mm PCD 	6332822	P 120		100
6328441		P 150		100	600
6332824		P 180		100	600
6332825		P 240		100	600
6328440		P 320		100	600
6332826		P 400		100	600

Larger diameter discs are available upon request. Please call our office on 0404 25725

* MOQ 1500 pcs per grit



Plain backed Discs

Heavy weight aluminium oxide paper for sanding all metal types					
Dia x CH (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
BW 110					
350 Ø x 40 	6175506	P 40	50	50	
	6213931	P 50	50	50	
	6075082	P 60	50	50	
	6075083	P 80	50	50	
	6075084	P 100	50	50	
	6195545	P 120	50	50	
	6239881	P 220	50	50	
6237930	P 400	50	50		

Heavy duty silicon carbide paper for use on stone, corian and MDF					
Dia x CH (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
BS 118					
125 Ø 	6009091	P 40	50	300	
	4359	P 60	50	300	
	30295	P 80	50	300	
	38350	P 120	100	600	
	178721	P 220	100	600	
	118648	P 320	100	600	
	221112	P 400	100	600	
	328456	P 500	100	600	
	4375	P 600	100	600	
	177865	P 800	100	600	
	289477	P 1000	100	600	
	133809	P 1200	100	600	
	175 Ø x 22 <i>with 8 slits and centre hole</i> 	6155249	P 16	25	150
6155250		P 24	25	125	
1539183		P 40	25	125	
2025353		P 50	50	250	
1576216		P 60	50	250	
1539167		P 80	50	250	
180 Ø x 22 <i>with 8 slits and centre hole</i> 	1576186	P 100	50	250	
	1539175	P 120	100	500	
	6155252	P 16	25	125	
6155253	P 24	25	125		

BW 110



BS 118





Waterproof Discs

Medium weight waterproof silicon carbide paper for use in the metallurgical & stone working industries

Dia (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
WS Flex 18 C - PLAIN BACKED				
125 Ø	6075974	P 220	100	600
	6075975	P 320	100	600
	6096831	P 400	100	600
	6159860	P 600	100	600
	6198044	P 800	100	600
	6198045	P 1200	100	600
200 Ø	6006091	P 80	50	250
	6006092	P 120	100	500
	117668	P 180	100	500
	6003918	P 320	100	500
	117641	P 400	100	500
	6006093	P 500	100	500
	129348	P 600	100	500
	6005706	P 800	100	500
	112259	P 1000	100	500
	98558	P 1200	100	500
	6133906	P 2500	100	500
	230 Ø	42706	P 60	50
40320		P 80	50	50
59986		P 120	100	100
33685		P 180	100	100
49506		P 220	100	100
33693		P 240	100	100
4138		P 320	100	100
77046		P 400	100	100
5770		P 500	100	100
38237		P 600	100	100
4146		P 800	100	100
34215		P 1000	100	100
4154		P 1200	100	100
6137435		P 2500	100	100
250 Ø		53724	P 80	50
	17116	P 120	100	100
	17140	P 180	100	100
	119261	P 220	100	100
	107557	P 240	100	100
	17167	P 320	100	100
	43257	P 400	100	100
	6006094	P 500	100	100
	93408	P 600	100	100
	143057	P 800	100	100
	119253	P 1000	100	100
	49530	P 1200	100	100
6134515	P 2500	100	100	

* Minimum order qty 1,800 pcs


Dia (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
WS Flex 18 C - PLAIN BACKED				
300 Ø	6006095	P 60	50	50
	8788	P 80	100	100
	57975	P 120	100	100
	34452	P 180	100	100
	23361	P 220	100	100
	34479	P 320	100	100
	8753	P 400	100	100
	34487	P 500	100	100
	103527	P 600	100	100
	8761	P 1000	100	100
	34495	P 1200	100	100
	6133351	P 2500	100	100

Medium weight waterproof silicon carbide paper for use in the metallurgical & stone working industries

Dia (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
WS Flex 18 SK - SELF ADHESIVE					
200 Ø	6006065	P 120	100	500	
	6006066	P 180	100	500	
	6004927	P 320	100	500	
	6006067	P 400	100	500	
	138886	P 600	100	500	
	6037594	P 800	100	500	
	99791	P 1000	100	500	
	6006068	P 1200	100	500	
	250 Ø	6006069	P 120	100	100
		6006070	P 180	100	100
6008002		P 240	100	100	
6006072		P 320	100	100	
6006074		P 400	100	100	
6006058		P 600	100	100	
83097		P 1000	100	100	
6006059		P 1200	100	100	
300 Ø	6037625	P 80	100	100	
	6002908	P 120	100	100	
	6006060	P 180	100	100	
	6002912	P 240	100	100	
	6006081	P 320	100	100	
	5827	P 400	100	100	
	6002910	P 600	100	100	
	6002911	P 800	100	100	
	235067	P 1000	100	100	
	6006076	P 1200	100	100	

WS Flex 18 C





Fibre Discs - Zirconia

Premium zirconia disc with special top coat for cool cutting of stainless steel and other exotic alloys

Dia x CH (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
RB 414 X-Procut				
100 Ø x 16 with centre hole 	6015825	+ 36	25	150
	6038577	+ 50	25	150
	6015824	+ 60	25	150
	6015826	+ 80	25	150
	6015827	+ 120	25	150
115 Ø 22 with hole, cross slot 	6006413	+ 36	25	150
	6006415	+ 50	25	150
	6006416	+ 60	25	150
	6006417	+ 80	25	150
	6006418	+ 100	25	150
	6006419	+ 120	25	150
125 Ø 22 with hole, cross slot 	6006423	+ 36	25	150
	6006424	+ 40	25	150
	6006425	+ 50	25	150
	6006426	+ 60	25	150
	6006427	+ 80	25	150
	6006428	+ 100	25	150
	6006429	+ 120	25	150
with hole, cross slot 180 Ø x 22 	6006406	+ 36	25	100
	6006408	+ 50	25	100
	6006409	+ 60	25	100
	6006410	+ 80	25	100
	6006461	+ 100	25	100
	6006462	+ 120	25	100



General purpose high performance zirconia disc

Dia x CH (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
RB 414 X				
100 Ø x 16 with centre hole 	6007422	+ 36	25	150
	6007423	+ 50	25	150
	6007425	+ 60	25	150
	6007427	+ 80	25	150
115 Ø x 22 with hole, cross slot 	6037605	+ 24	25	150
	2301695	+ 36	25	150
	2689138	+ 50	25	150
	6004425	+ 60	25	150
	6004426	+ 80	25	150
125 Ø x 22 with hole, cross slot 	2301709	+ 36	25	150
	2689146	+ 50	25	150
	6004428	+ 80	25	150
180 Ø x 22 with hole, cross slot 	2302667	+ 36	25	100
	6040087	+ 80	25	100

* MOQ 1,200 pcs

Backing pads for fibre discs

Pad Ø	Disc Ø	Order Code	Thread	Packing Unit	
				Inner	Outer
X-Hard 112	115	116556	M14	1	1
J-Soft 112	115	51497	M14	1	1
X-Hard 120	125	34762	M14	1	1
J-Soft 120	125	68543	M14	1	1
X-Hard 175	180	21040	M14	1	1
J-Soft 175	180	18074	M14	1	1

RB 414 X-Procut



RB 414 X





Fibre Discs - Ceramic & Aluminium oxide

Premium ceramic grain with top size for higher stock removal rates on all stainless steel, high nickel alloys and cast irons

Dia x CH (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
CR 456 fibre-Procut					
115 Ø x 22 with hole, cross slot 	cartons	6175818	+ 36	25	150
	tower	6166165	+ 36	100	100
	tower	6169010	+ 50	100	100
	cartons	6175820	+ 60	25	150
	tower	6167586	+ 60	100	100
	cartons	6180647	+ 80	25	150
	tower	6166167	+ 80	100	100
	cartons	6198835	+ 100	25	150
	cartons	6180648	+ 120	25	150
	125 Ø x 22 with hole, cross slot 	cartons	6178350	+ 36	25
tower		6165839	+ 36	100	100
cartons		6178351	+ 50	25	150
tower		6167585	+ 50	100	100
cartons		6170357	+ 60	25	150
tower		6170978	+ 60	100	100
cartons		6177311	+ 80	25	150
tower		6168175	+ 80	100	100
cartons		6198837	+ 100	25	150
cartons		6180252	+ 120	25	150
180 Ø x 22 with hole, cross slot 	cartons	6177038	+ 36	25	100
	tower	6176898	+ 36	100	100
	cartons	6179225	+ 50	25	100
	tower	6167608	+ 50	100	100
	cartons	6176439	+ 60	25	100
	tower	6166215	+ 60	100	100
	tower	6167980	+ 80	100	100
	cartons	6181863	+ 100	25	100
	cartons	6181864	+ 120	25	100

Backing pads for fibre discs

Pad Ø	Disc Ø	Order Code	Thread	Packing Unit	
				Inner	Outer
X-Hard 112	115	116556	M14	1	1
J-Soft 112	115	51497	M14	1	1
X-Hard 120	125	34762	M14	1	1
J-Soft 120	125	68543	M14	1	1
X-Hard 175	180	21040	M14	1	1
J-Soft 175	180	18074	M14	1	1

CR456 Fibre Procut



RB314X



Aluminium oxide for economical use on all metals

Dia x CH (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
RB 314 fibre					
100 Ø x 16 with centre hole 	* 6007310	P 24	25	150	
	* 6007321	P 36	25	150	
	* 6007309	P 50	25	150	
	5290	P 60	25	150	
	6007323	P 80	25	150	
	* 6007293	P 100	25	150	
	* 6007297	P 120	25	150	
	115 Ø 22	6007215	P 16	25	150
	115 Ø 22 with hole, cross slot 	65110	P 24	25	150
		16675	P 36	25	150
78115		P 40	25	150	
29165		P 50	25	150	
29181		P 60	25	150	
91375		P 80	25	150	
6006411		P 100	25	150	
6006412		P 120	25	150	
125 Ø 22 with hole, cross slot 		6006420	P 16	25	150
		168777	P 24	25	150
	50067	P 36	25	150	
	50091	P 40	25	150	
	91405	P 50	25	150	
	66338	P 60	25	150	
	91421	P 80	25	150	
	6006421	P 100	25	150	
	6006422	P 120	25	150	
	180 Ø 22 with hole, cross slot 	6006442	P 16	25	150
178578		P 24	25	100	
88501		P 36	25	100	
27510		P 40	25	100	
133965		P 50	25	100	
78158		P 60	25	100	
107077		P 80	25	100	
6006404		P 100	25	100	
6006405		P 120	25	100	

* MOQ 1200 pcs



Discs with Fastlock System B

Aluminium oxide cloth grinding of all metal types

Dia (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
RB 377 YX				
50 Ø	6057236	+ 36	50	50
	6058175	+ 60	50	50
	6058176	+ 80	50	50
	6058177	+ 120	50	50
	6058178	+ 180	50	50
75 Ø	6058179	+ 36	50	50
	6058180	+ 60	50	50
	6058191	+ 80	50	50
	6058192	+ 120	50	50
	6058211	+ 180	50	50

Premium ceramic grain plus additives for grinding exotic alloys

Dia (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
CR 456 Z				
50 Ø	6174979	+ 36	50	50
	6174980	+ 60	50	50
	6174981	+ 80	50	50
75 Ø	6174982	+ 36	50	50
	6174983	+ 60	50	50

Premium ceramic grain & fibre backing for grinding stainless Steel & high-alloyed steels

Dia (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
CR 456 Fibre-Procut				
50 Ø	6319217	+ 36	50	50
	6319218	+ 50	50	50
	6319219	+ 60	50	50
	6319220	+ 80	50	50
	6319221	+ 120	50	50
75 Ø	6319213	+ 36	50	50
	6319214	+ 50	50	50
	6319215	+ 60	50	50
	6302481	+ 80	50	50
	6319216	+ 120	50	50

Accessories for Fastlock system, with 1/4" thread

Pad Ø	Disc Ø	Order Code	-	Packing Unit	
				Inner	Outer
45	50	6010413	-	1	1
70	75	6004140	-	1	1
6mm spindle		6004141	-	1	1
Adapter for M14 *		6004142	on 1/4"	1	1

High density aluminium oxide non-woven Web for finishing all metal types

Dia (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
WEBRAX-AN 701 50*				
50 Ø	6058199	+ 80	50	50
	6058200	+ 100	50	50
	6058201	+ 280	50	50
75 Ø	6058202	+ 80	25	25
	6058203	+ 100	25	25
	6058204	+ 280	25	25

Heavy duty non woven product for stripping paint and rust removal

Dia (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
WEBRAX-Multiclean				
50 Ø	6058205	- -	10	10
75 Ø	6058206	- -	10	10

Premium zirconia for grinding stainless steel and exotic alloys

Dia (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
RB 486 44 Z				
50 Ø	6128302	+ 36	50	50
	6128303	+ 50	50	50
	6128304	+ 60	50	50
	6128305	+ 80	50	50
	6128306	+ 36	50	50
75 Ø	6128309	+ 60	50	50
	6128310	+ 80	50	50

*MOQ 2000pcs



Fastlock range

MOQ 10PCS

Grit size comparison

Hermes-Standard	+80	+100	+120	+150	+180	+220	+280	+320	+360	+400	+500	+800	+1500
Competitors	Coarse		Medium			Fine		Very fine			Super fine	Ultra fine	

↑ BROWN ↑ MAROON

↑ BLUE



Flap Discs

Zirconia on glass fibre backing for all metal types

Dia x CH (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
FL 390 Eco				
115 Ø x 22 EB11	6010001	# 36	10	10
centre hole	6010002	# 40	10	10
BEVELLED FORM & GLASS FIBRE BACK	6010004	# 60	10	10
	6010005	# 80	10	10
	6010006	# 100	10	10
	6010007	# 120	10	10
115 Ø x 22 EB21	6008330	# 40	10	10

**Special Prices available for Bulk orders.
Please call our office on 0404 25725**

Premium zirconia on glass fibre backing for all metal types

Dia x CH (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
RB 480 24 YX				
115 Ø x 22	6116318	# 36	10	10
centre hole	6042421	# 40	10	10
STRAIGHT FORM & GLASS FIBRE BACK	6042422	# 60	10	10
	6042423	# 80	10	10
	6041591	# 120	10	10
115 Ø x 22	6042402	# 36	10	10
centre hole	6042403	# 40	10	10
BEVELLED FORM & PLASTIC BACK	6042404	# 60	10	10
	6042405	# 80	10	10
	6042406	# 120	10	10
125 Ø x 22	6056756	# 36	10	10
centre hole	6018696	# 40	10	10
BEVELLED FORM & GLASS FIBRE BACK	6018698	# 60	10	10
	6042427	# 80	10	10
	6039387	# 120	10	10
180 Ø x 22	6056755	# 36	10	10
centre hole	6135353	# 40	10	10
BEVELLED FORM & GLASS FIBRE BACK	6295536	# 60	10	10
	6295537	# 80	10	10



ECO 390



Ceramic Flap Discs are available upon request

Webrax on glass fibre backing for Stainless Steel

Dia x CH (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
AN 701 50				
115 Ø x 22	6393580	# 80	10	10
centre hole	6393581	# 100	10	10
BEVELLED FORM & GLASS FIBRE BAC	6393582	# 180	10	10
	6393583	# 280	10	10

Webrax without grain, on glass fibre backing especially designed for polishing

Dia x CH (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
PN 721				
115 Ø x 22	6393584	-	10	10
centre hole				
BEVELLED FORM & GLASS FIBRE BACK				


When using Webrax flap discs, best results are achieved when the angle grinder operating speed is reduced. Therefore it is recommended that for 115mm diameter flap discs, an optimum speed of 4200 1/min (25m/s) is used.



Flap Wheels with shaft

Aluminium oxide cloth backed flap wheels on spindle, for general purpose metal grinding

Dia x width (mm)	Order Code	Grit		Packing Unit	
				Inner	Outer
FW 340 X					
30 Ø x 10	6013674	P 60		10	10
	6013686	P 80		10	10
	6013688	P 120		10	10
30 Ø x 15	6013697	P 40		10	10
	6013698	P 60		10	10
	6013699	P 80		10	10
	6013701	P 120		10	10
40 Ø x 15	6013715	P 60		10	10
	6013716	P 80		10	10
	6013717	P 120		10	10
40 Ø x 20	6013720	P 40		10	10
	6013721	P 60		10	10
	6013722	P 80		10	10
	6013724	P 120		10	10
50 Ø x 10	6013729	P 80		10	10
50 Ø x 20	6013736	P 40		10	10
	6013737	P 60		10	10
	6013738	P 80		10	10
	6013740	P 120		10	10
50 Ø x 30	6013745	P 40		10	10
	6013746	P 60		10	10
60 Ø x 15	6013755	P 60		10	10
60 Ø x 20	6013758	P 60		10	10
	6013759	P 80		10	10
60 Ø x 30	6013763	P 40		10	10
	6013764	P 60		10	10
	6013765	P 80		10	10
	6013767	P 120		10	10
	6013771	P 320		10	10
60 Ø x 40	6013773	P 60		10	10
	6013774	P 80		10	10
	6013778	P 180		10	10
80 Ø x 30	6013788	P 40		10	10
	6013789	P 60		10	10
	6013791	P 120		10	10



FW 340 X

WEBRAX, Discs

Surface conditioning discs Velour backed high density aluminium oxide for all metal types						
Dia x CH (mm)	Order Code	Grit		Packing Unit		
				Inner	Outer	
WEBRAX-AN701 50						
115 Ø	6015154	+	80		20	20
	6015155	+	100		20	20
	6015244	+	280		20	20
115 x 22 Ø	6037588	+	80		20	20
	6038171	+	100		20	20
125 Ø	6015245	+	80		20	20
	6015246	+	100		20	20
	6015247	+	280		20	20
125 x 22 Ø	6039215	+	80		20	20
	6039973	+	100		20	20



AN701 50

Fibre backed high density aluminium oxide for all metal types						
Dia x CH (mm)	Order Code	Grit		Packing Unit		
				Inner	Outer	
WEBRAX-AN703 50						
115 Ø x 22	6017023	+	80		25	25
180 Ø x 22	6016980	+	80		25	25
	6017021	+	100		25	25

Backing pads for surface conditioning discs M14 - Angle grinder with special hooks						
Pad Ø (mm)	Disc Ø (mm)	Order Code		Packing Unit		
				Inner	Outer	
For use with AN701 50 discs						
112	115/125	2318911	-		1	1

Grit size comparison

Hermes-Standard	+80	+100	+120	+150	+180	+220	+280	+320	+360	+400	+500	+800	+1500
Competitors	Coarse	Medium	Fine			Very fine			Superfine	Ultra fine			
	↑ BROWN	↑ MAROON	↑ RED	↑ BLUE			↑ GREY						

Surface conditioning discs Heavy duty product for stripping paint and rust removal					
Dia x CH (mm)	Order Code	Grit		Packing Unit	
				Inner	Outer
WEBRAX-Multiclean on glass-fibre backing pad					
115 Ø x 22	6080418	-		5	5
125 Ø x 22	6098486	-		5	5

Surface conditioning wheels Heavy duty product for stripping paint and rust removal					
WEBRAX-Multiclean with centre hole					
Dia x CH (mm)	Order Code	Grit		Packing Unit	
				Inner	Outer
100 Ø x 13	2674076	-		10	10
150 Ø x 13	2674084	-		10	10
with centre hole, no backing					
Dia x CH (mm)	Order Code	Grit		Packing Unit	
				Inner	Outer
Spindles for WEBRAX-Multiclean wheels					
6 Ø x 52	2674106	-		1	1



WEBRAX-Multiclean on glass fibre backing pad
WEBRAX-Multiclean with centre hole

Strips, Sheets & Sanding Sponges



Sanding Sponges

Double Sided	33
Four Sided	33
Single Sided	33







Foam Backed Rolls

	33
--	----



Strips & Sheets

Plain Backed	34
Waterproof & Cloth Backed	35
Velour Backed, with & without holes	36
Self Adhesive	38

Hole system	Dimensions in the catalogue	Hermes EB No.
 2 x 4mm	80 x 133mm, 93 x 178mm, 93 x 184mm	004
 2 x 5mm	115 x 230mm, 115 x 280mm	001
 8 x / \varnothing 87mm	115 x 115mm	008
 2 x 7mm	70 x 420mm	012



Triangles

	37
--	----

Hole system	Dimensions in the catalogue	Hermes EB No.
	88 x 95mm	020
	88 x 93mm	021
	99 x 147mm	022



WEBRAX Hand pads

	39
--	----

Sanding Sponges & Foam Backed Rolls

Soft and very flexible silicon carbide sponge. Ideal for sanding wood and lacquer on both flat and contoured components						
Width x length (mm)	Order Code	Grit	Packing Unit			
			Inner	Outer		
Double sided						
97 x 123 x 12	6005817	F 60		250	250	
	6005986	F 80		250	250	
	6005818	F 100		250	250	
	6253026	F 120		250	250	
	6253027	F 150		250	250	
	6005819	F 180		250	250	
	6005820	F 220		250	250	

Aluminium oxide sponge. Ideal for sanding flat wood compone						
Width x length (mm)	Order Code	Grit	Packing Unit			
			Inner	Outer		
Four sided						
70 x 100 x 27	6005968	F 60		250	250	
	6005969	F 100		250	250	
	6005970	F 180		250	250	
	6006031	F 220		250	250	

Medium density silicon carbide sponge. Ideal for sanding wood and lacquer contoured components											
Width x length (mm)	Order Code	Grit	Packing Unit		Width x length (mm)	Order Code	Grit	Packing Unit			
			Inner	Outer				Inner	Outer		
Single sided					Single sided						
115 x 140 x 5	6007276	F 60		250	250	115 x 140 x 5 Packed in units of 20	6012838	F 60		20	200
	6006244	F 100		250	250		6012839	F 100		20	200
	6006623	F 180		250	250		6012840	F 180		20	200
	6009288	F 220		250	250		6012841	F 220		20	200
	6007277	F 280		250	250		6012842	F 280		20	200
	6009555	F 400		250	250		6012843	F 400		20	200
	6009556	F 600		250	250		6012844	F 600		20	200


Double Sided



Four Sided




Single Sided



Flexible aluminium oxide foam backed strips on a roll. For sanding contours on wood, lacquer and paint						
Width x length (mm)	Order Code	Grit	Packing Unit			
			Inner	Outer		
VC 154-Longlife Foam						
115 x 25M perforated each 125mm (=200 sheets)	6324378	P 180		25	25	
	6324379	P 240		25	25	
	6324381	P 280		25	25	
	6324383	P 320		25	25	
	6324384	P 400		25	25	
	6324386	P 500		25	25	
	6269949	P 600		25	25	
6269950	P 800		25	25		



VC 154-Longlife Foam strips on a roll



Strips & Sheets

Heavy weight aluminium oxide paper for sanding all metal types					
Width x length (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
BW 110					
93 x 230	6074956	P 60	50	750	
	6074961	P 80	50	750	
	6074962	P 100	100	1500	
	6074963	P 120	100	1500	
115 x 280	6074978	P 60	50	500	
	6074979	P 80	50	500	
	6074980	P 100	100	1000	
	6074991	P 120	100	1000	
	6074992	P 150	100	1000	
	6074993	P 180	100	1000	
115 x 280 2 x 5 side holes 	6074996	P 100	100	1000	
	6074997	P 120	100	1000	

Flexible silicon carbide paper for denibbing & finishing wood, paint, lacquer and plastic					
Width x length (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
SF 168					
115 x 280	6112352	P 100	100	1000	
	6112353	P 120	100	1000	
	6112356	P 220	100	1000	
	6112358	P 280	100	1000	
	6112361	P 400	100	1000	
230 x 280	6340947	P 80	50	250	
	6345792	P 100	50	500	
	6340948	P 120	50	500	
	6339941	P 150	100	500	
	6340798	P 180	100	500	
	6336531	P 220	100	500	
	6339592	P 240	100	500	
	6340966	P 280	100	500	
	6340197	P 320	100	500	
	6340950	P 400	100	500	
6340951	P 500	100	500		

Medium weight open coat aluminium oxide paper for wood, metal, glass fibre, plastics, paint, filler and lacquer						
Width x length (mm)	Order Code	Grit	Packing Unit			
			Inner	Outer		
VC 152						
115 x 280	6075472	P 40	50	500		
	6066384	P 60	50	500		
	6075473	P 80	50	500		
	6075474	P 100	100	1000		
	6074518	P 120	100	1000		
	6075087	P 150	100	1000		
	6075088	P 180	100	1000		
	6075089	P 220	100	1000		
	6075475	P 240	100	1000		
	6093293	P 320	100	1000		
	115 x 280 2 x 5 side holes 	6071029	P 40	50	500	
6071043		P 60	50	500		
6071044		P 80	50	500		
6075091		P 100	100	1000		
6071045		P 120	100	1000		
6075092		P 150	100	1000		
6075093		P 180	100	1000		
6075095		P 240	100	1000		
230 x 280		6075479	P 40	25	250	
		6070596	P 60	50	250	
	6075096	P 80	50	250		
	6070597	P 100	50	500		
	6075097	P 120	50	500		
	6075098	P 150	100	500		
	6070598	P 180	100	500		
	6075099	P 220	100	500		
	6075100	P 240	100	500		
	6075101	P 280	100	500		
6075102	P 320	100	500			
6068698	P 400	100	500			



SF168



VC152



Sheets


Waterproof silicon carbide paper for wet or dry use on paint, lacquer and plastic					
Width x length (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
WS flex 16					
230 x 280	20346	P 60		50	250
	13331	P 80		50	250
	6424	P 100		50	250
	6432	P 120		50	250
	15601	P 150		100	500
	6238187	P 180		100	500
	6238188	P 220		100	500
	6238189	P 240		100	500
	6238190	P 280		100	500
	6238201	P 320		100	500
	6238202	P 360		100	500
	6238203	P 400		100	500
	6238204	P 500		100	500
	6238205	P 600		100	500
	6238206	P 800		100	500
	6238207	P 1000		100	500
	6238208	P 1200		100	500
	6238209	P 1500		100	500
	6238210	P 2000		100	500
	6238211	P 2500		100	500
115 x 140	6238212	P 3000		100	500
	6316186	P 5000		100	500
	6238217	P 320		200	4000
	6238218	P 360		200	4000
	6238219	P 400		200	4000
	6238220	P 500		200	4000
	6238221	P 600		200	4000
	6238222	P 800		200	4000
	6238223	P 1000		200	4000
	6238224	P 1200		200	4000
6238225	P 1500		200	4000	
6238226	P 2000		200	4000	
6238227	P 2500		200	4000	

Very flexible aluminium oxide cloth for sanding all wood and metal types					
Width x length (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
RB 346 J-flex					
230 x 280	6008383	P 40		25	250
	6008384	P 50		25	250
	6008385	P 60		25	250
	6006652	P 80		50	250
	6006198	P 100		50	250
	6006199	P 120		50	500
	6006200	P 150		50	500
	6006201	P 180		50	500
	6006192	P 220		50	500
	6006202	P 240		50	500
	6006203	P 280		50	500
	6006204	P 320		50	500
	6006272	P 360		50	500
	6006205	P 400		50	500
	6006206	P 600		50	500

Waterproof aluminium oxide paper for wet or dry use on paint, lacquer and plastic					
Width x length (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
WA Flex 28 B					
230 x 280	6340848	P 400		100	500
	6346368	P 500		100	500
	6337516	P 600		100	500
	6329036	P 800		100	500
	6340849	P 1000		100	500
	6340850	P 1200		100	500



WS Flex 16



RB346 J Flex

Strips

Medium weight open coat aluminium oxide paper for wood, metal, glass fibre, paint, filler and lacquer

Width x length (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
VC 152 VEL				
70 x 115	6090472	P 40	50	1000
	6070599	P 60	50	1000
	6075103	P 80	50	1000
	6070600	P 100	50	1000
	6075104	P 120	50	1000
	6064341	P 150	50	1000
	6069411	P 180	50	1000
	6069412	P 220	50	1000
	6075335	P 240	50	1000
80 x 133 2 x 4 side holes 	6075365	P 40	50	500
	6075366	P 60	50	500
	6075367	P 80	50	500
	6075368	P 100	50	500
	6075369	P 120	50	500
	6075370	P 150	50	500
	6075371	P 180	50	500
	6075316	P 220	50	500
	6075317	P 240	50	500
	6075320	P 320	50	500
115 x 230 2 x 5 side holes 	6075353	P 40	50	500
	6075355	P 60	50	500
	6075356	P 80	50	500
	6075357	P 100	50	500
	6075358	P 120	50	500
	6075359	P 150	50	500
	6075360	P 180	50	500
	6075361	P 220	50	500
	6075362	P 240	50	500
	6075363	P 280	50	500
93 x 178 2 x 4 side holes 	6082306	P 40	50	500
	6076084	P 60	50	500
	6076085	P 80	50	500
	6076086	P 100	50	500
	6091941	P 120	50	500
	6093298	P 150	50	500
	6093311	P 280	50	500
	6093313	P 400	50	500
93 x 184 2 x 4 side holes 	6076087	P 60	50	500
	6076088	P 80	50	500
	6093314	P 120	50	500
	6093317	P 180	50	500
	6093318	P 220	50	500
	6093319	P 240	50	500
	6093320	P 280	50	500
	6093321	P 320	50	500
	6093323	P 400	50	500

Medium weight, semi open aluminium oxide paper for sanding of lacquer, primer, filler and general purpose sanding. Special coating prevents clogging.

Width x length (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
VC 154-Longlife VEL				
70 x 125	6253232	P 80	50	500
	6233786	P 100	50	500
	6233753	P 120	50	500
	6233787	P 150	50	500
	6214822	P 180	50	500
	6233788	P 220	50	500
	6214823	P 240	50	500
	6214824	P 320	50	500
	6214825	P 400	50	500
	6230142	P 500	50	500
	6303324	P 600	50	500
	* 6325895	P 800	50	500
	* 6284232	P 1200	50	500

*MOQ 5,000 pcs

Flexible open coated aluminium oxide paper for use on glass fibre, paint, wood, G.R.P. and lacquer

Width x length (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
VC 151-Longlife VEL				
70 x 125	* 6155311	P 100	50	500
	6096666	P 120	50	500
	6162180	P 150	50	500
	6082320	P 180	50	500
	* 6162182	P 220	50	500
	6037291	P 240	50	500
	6050796	P 320	50	500
	6037304	P 400	50	500

*MOQ 5,000 pcs

Hand blocks suitable for use with velour backed strips 70 x 125mm

Width x length (mm)	Order Code	Packing Unit	
		Inner	Outer
65 x 110 x 40	393398	1	1
Combination - hard (black foam)/soft (grey foam)			
65 x 120 x 35	6215059	1	1
Hard - hard (black foam), red velour attachment and hand grips			

Combi block




Hard block with hand grips



Strips & Triangles

Heavy weight aluminium oxide paper for sanding all metal types					
Width x length (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
VC 153 VEL					
70 x 115	6128316	P 80		50	1000
	6128317	P 100		50	1000
	6121246	P 120		50	1000
	6121245	P 150		50	1000
	6121244	P 180		50	1000
80 x 133 2 x 4 side holes 	6139906	P 60		50	500
	6212948	P 80		50	500
	6212949	P 100		50	500
	6212950	P 120		50	500
	6184971	P 150		50	500
	6184973	P 180		50	500
100 x 115	6212917	P 80		50	500
	6212918	P 100		50	500
	6212919	P 120		50	500
	6212920	P 150		50	500
	6212941	P 180		50	500
115 x 115 8 x Ø 87 	6212942	P 60		50	500
	6212943	P 80		50	500
	6212944	P 100		50	500
	6212945	P 120		50	500
	6212946	P 150		50	500
	6212947	P 180		50	500
115 x 230 2 x 5 side holes 	6136086	P 40		50	250
	6136087	P 60		50	500
	6136088	P 80		50	500
	6136089	P 100		50	500
	6136090	P 120		50	500
	6212951	P 150		50	500
	6212952	P 180		50	500
88 x 93 	6136251	P 40		50	50
	6136252	P 60		50	50
	6136253	P 80		50	50
	6136254	P 100		50	50
	6136255	P 120		50	50
	6223873	P 150		50	50
	6136256	P 180		50	50
88 x 95 	6237959	P 220		50	50
	6136257	P 40		50	50
	6136258	P 60		50	50
	6136259	P 80		50	50
	6136260	P 100		50	50
	6136261	P 120		50	50
	6228464	P 150		50	50
6136262	P 180		50	50	

Medium weight open coat aluminium oxide paper for wood, metal, glass fibre, paint, filler and lacquer					
Width x length (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
VC 152 VEL					
99 x 147 	6093349	P 40		50	50
	6074590	P 60		50	50
	6074586	P 80		50	50
	6074587	P 100		50	50
	6074589	P 120		50	50
	6074591	P 150		50	50
	6075477	P 180		50	50
	6075350	P 220		50	50
	6075478	P 240		50	50
	6075352	P 320		50	50
Flexible open coated aluminium oxide paper for use on glass fibre, paint, wood, G.R.P. and lacquer					
Width x length (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
VC 151 LL VEL					
70 x 420 2 x 7 side holes 	6099446	P 60		50	500
	6099123	P 80		50	200
	6099124	P 120		50	200
	6099126	P 180		50	200
	6099128	P 240		50	200
	6099130	P 320		50	200
	6099131	P 400		50	200

VC 153 VEL



Strips, self adhesive

Medium weight open coat aluminium oxide paper for wood, metal, glass fibre, paint, filler and lacquer

Width x length (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
VC 152 SK				
70 x 115	6094283	P 80	200	200
	6094302	P 100	200	200
	6094304	P 120	200	200
	6094305	P 150	200	200
	6094306	P 180	200	200
	6094363	P 220	200	200
70 x 445	6094315	P 40	25	100
	6094317	P 60	25	100
	6094318	P 80	50	200
	6094320	P 120	50	200
81 x 153	6094308	P 60	200	200
	6094309	P 80	200	200
	* 6094310	P 100	200	200
	* 6094311	P 120	200	200
	* 6094313	P 150	200	200
	* 6139571	P 180	200	200
	* 6094314	P 240	200	200

* MOQ 1000pcs

Hand blocks for use with self adhesive backed strips

Width x length (mm)	Order Code	-	Packing Unit	
			Inner	Outer
65 x 110 x 40	527904	-	1	1
Hard				
Width x length (mm)	Order Code	-	Packing Unit	
Inner	Outer			
70 x 125 x 40	392065	-	1	1
Combi Soft & Hard				



VC152 SK

Flexible silicon carbide paper for denibbing & finishing wood, paint, lacquer and plastic

Width x length (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
SF 168 SK				
70 x 115 on a roll	6122224	P 80	200	200
	6122225	P 100	200	200
	6122226	P 120	200	200
	6122227	P 150	200	200
	6122228	P 180	200	200
	6122229	P 220	200	200
	6122230	P 240	200	200
	6122231	P 280	200	200
	6122232	P 320	200	200
	6122233	P 400	200	200
	6122234	P 500	200	200



SF 168 SK

WEBRAX , Hand pads



Hand pads					
Width x length (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
Silicon carbide light & soft non woven pad with high grain density for good cut & fine finish					
WEBRAX-OS 709					
152 x 229	95451	+ 280		20	20
	12114	+ 500		20	20
	574	+ 800		20	20
	27499	+ 1500		20	20



WEBRAX OS 709

Aluminium oxide high density for a more aggressive cut					
WEBRAX-OA 713					
152 x 229	113751	+ 100		20	20
	112577	+ 180		20	20



WEBRAX OA 713

Silicon carbide high density non woven pad for a more aggressive cut					
WEBRAX-OS 715					
152 x 229	64491	+ 180		20	20
	12491	+ 800		20	20



WEBRAX OS 715

Non abrasive non woven nylon for use with wax and polishes					
WEBRAX-GP 706 White					
152 x 229	74470	-		20	20



WEBRAX GP 706

GREEN heavy duty general purpose pad					
WEBRAX-GP 706 Olive					
152 x 229	51543	+		20	20



WEBRAX GP 706 Olive

Aluminium oxide medium density					
WEBRAX-OA 708 Maroon					
152 x 229	16276	+ 120		20	20
	16284	+ 180		20	20
	20273	+ 280		20	20
	4235	+ 360		20	20



WEBRAX OA 708 Maroon

Aluminium oxide heavy duty handpad					
WEBRAX-OA 710					
152 x 229	49271	+80		20	20




WEBRAX OA 710

*MOQ 20PCS


Grit size comparison

Hermes-Standard	+80	+100	+120	+150	+180	+220	+280	+320	+360	+400	+500	+800	+1500
Competitors	Coarse		Medium		Fine		Very fine			Super fine	Ultra fine		

Flooring



Discs	Plain backed	41
	Velour backed	41
	Double sided	41
Buffing Pads		42
Mesh Sandscreen		42
Paper Rolls		42
Floor Sander Loadings		42
Belts	Aluminium oxide	43
	Zirconia	43
	Silicon Carbide	43





Flooring, Discs

Heavy duty aluminium oxide paper for sanding all floor types						
Dia (mm)	Order Code	Grit	Packing Unit			
			Inner	Outer		
BW 110						
375 Ø x 40 double sided with hole	6210176	P 40	25	25		
	6210179	P 60	25	25		
	6210182	P 80	25	25		
	6210185	P 100	25	25		
410 Ø x 25 double sided with hole	6210177	P 40	25	25		
	6210180	P 60	25	25		
	6210183	P 80	25	25		
	6210186	P 100	25	25		
180 Ø x 22 	6210154	P 24	25	125		
	6210159	P 36	25	125		
	6210175	P 40	50	250		
	6224809	P 50	50	250		
	6210178	P 60	50	250		
	6210181	P 80	50	250		
	6210184	P 100	50	250		
	6210187	P 120	100	500		
150 Ø x 7 with 8 slits 	6210151	P 24	50	300		
	6210156	P 36	50	300		
	6210172	P 40	50	300		
	6213919	P 50	50	300		
	6075049	P 60	50	300		
	6075050	P 80	50	300		
	6075061	P 100	100	600		
	6075062	P 120	100	600		
175 Ø x 22 8 slits and centre hole 	6210153	P 24	25	125		
	6210158	P 36	25	125		
	6210173	P 40	50	250		
	6213920	P 50	50	250		
	6075064	P 60	50	250		
	6075065	P 80	50	250		
	6075066	P 100	50	250		
	6075067	P 120	100	500		
6210713	P 150	100	500			


Heavy weight aluminium oxide paper for heavy sanding new and existing wooden floors						
Dia Ø x CH (mm)	Order Code	Grit	Packing Unit			
			Inner	Outer		
VC 153 VEL						
150 Ø x 7 	6223935	P 24	50	300		
	6223932	P 36	50	300		
	6219589	P 40	50	300		
	6223933	P 50	50	300		
	6219861	P 60	50	300		
	6222077	P 80	50	300		
180 Ø 	6223524	P 100	100	600		
	6223934	P 120	100	600		
	6210700	P 24	25	125		
	6207539	P 36	25	125		
	6210130	P 40	25	125		
	6207976	P 60	50	250		
180 Ø x 22 	6176128	P 80	50	250		
	6210682	P 100	50	250		
	6210143	P 120	50	250		
	6210149	P 150	50	250		
	6224810	P 24	25	125		
	6224851	P 36	25	125		
	6224852	P 40	25	125		
	6224853	P 50	25	125		
200 Ø 	6224787	P 60	50	250		
	6224854	P 80	50	250		
	6224855	P 100	50	250		
	6224856	P 120	50	250		
	6210920	P 24	25	125		
	6210129	P 36	25	125		
	6210131	P 40	25	125		
	6210712	P 50	25	125		
	6118016	P 60	50	250		
	6133645	P 80	50	250		
	6133646	P 100	50	250		
	6133647	P 120	50	250		
6210150	P 150	50	250			

*MOQ 1,800pcs

Heavy weight silicon carbide paper for use on stone, resin and lacquer						
Dia (mm)	Order Code	Grit	Packing Unit			
			Inner	Outer		
BS 118 silicon carbide Double sided discs						
375 Ø x 40 double sided	6155256	P 16	10	10		
	6155257	P 24	10	10		
with hole	6155258	P 36	25	25		
	6155261	P 16	10	10		
410 Ø x 25 double sided with hole	6138683	P 24	10	10		
	6052719	P 36	10	10		
	6039021	P 40	10	10		
	6046652	P 60	10	10		



VC 153 VEL



BS 118 Double sided disc




Flooring

Buffing pads						
Thickline with 95mm Ø perforated centre hole						
Dia (mm)	Order Code	Grit			Packing Unit	
					Inner	Outer
WEBRAX						
200 Ø	BLACK	6158728	+	80	5	5
	GREEN	6158729	+	100	5	5
	RED	6158730		non	5	5
	TAN	6158743		non	5	5
	WHITE	6158744		non	5	5
380 Ø	BLACK	6004740	+	80	5	5
	GREEN	6004749	+	100	5	5
	RED	6004758		non	5	5
	TAN	6004767		non	5	5
	WHITE	6004776		non	5	5
406 Ø	BLACK	6154983	+	80	5	5
	GREEN	6154984	+	100	5	5
	RED	6154985		non	5	5
	TAN	6154986		non	5	5
	WHITE	6154987		non	5	5
430 Ø	BLACK	6004742	+	80	5	5
	GREEN	6004751	+	100	5	5
	RED	6004760		non	5	5
	TAN	6004769		non	5	5
	WHITE	6004778		non	5	5

Mesh Sandscreen						
Silicon carbide mesh for intermediate floor sanding						
Dia (mm)	Order Code	Grit			Packing Unit	
					Inner	Outer
GS 91350						
200 Ø x 6	* 6003399	+	150		10	10
380 Ø	6002613	+	80		10	10
	6002742	+	120		10	10
	* 6002446	+	150		20	20
406 Ø	6154988	+	60		10	10
	6154990	+	80		10	10
	6154991	+	100		10	10
	6154993	+	120		10	10
	6154994	+	150		10	10
430 Ø	6154995	+	180		10	10
	6002743	+	60		10	10
	6002744	+	80		10	10
	6002745	+	100		10	10
	6002746	+	120		10	10
	6002447	+	150		10	10

* Set for deletion, Euro stock will not be replaced

GS 91350



Buffing Pad range



*Image shows centre hole removed.

Paper Rolls						
Heavy duty aluminium oxide paper for sanding all floor types						
Width x length (mm)	Order Code	Grit			Packing Unit	
					Inner	Outer
BW 110						
200 x 25 m	6207023	P	24		25	25
	6207024	P	36		25	25
200 x 50 m	6161919	P	40		50	50
	6217929	P	50		50	50
	6074945	P	60		50	50
	6075461	P	80		50	50
	6071991	P	100		50	50
	6074947	P	120		50	50
300 x 25 m	* 6210191	P	24		25	25
	* 6237840	P	36		25	25

*MOQ 50M Roll

Floor Sander Loadings						
Aluminium oxide paper with notched ends						
Width x length (mm)	Order Code	Grit			Packing Unit	
					Inner	Outer
BW110						
200 x 475	6308973	P	24		50	50
	6216919	P	36		50	50
	6308974	P	40		50	50
	6308975	P	60		50	50
	6308976	P	80		50	50
	6308977	P	100		50	50
	6308978	P	120		50	50





Flooring, Belts



HERMES

Aluminium oxide cloth - standard belt for wood gives high quality finish

Width x length (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
RB 320 X				
200 x 482 <i>to be discontinued from stock then 20 days lead time</i>	6060396	P 24	10	10
	6060401	P 36	10	10
	6085933	P 50	10	10
	6080043	P 60	10	10
	6045162	P 80	10	10
	6060407	P 100	10	10
	6032182	P 120	10	10
200 x 551	6062951	P 16	10	10
	6006247	P 24	10	10
	6006248	P 36	10	10
	6006249	P 40	10	10
	6006273	P 50	10	10
	6006250	P 60	10	10
	6006251	P 80	10	10
	6006252	P 100	10	10
200 x 750	6085950	P 16	10	10
	6006256	P 24	10	10
	6006257	P 36	10	10
	6006258	P 40	10	10
	6006274	P 50	10	10
	6006259	P 60	10	10
	6006260	P 80	10	10
	6006261	P 100	10	10
	6006262	P 120	10	10
	6006263	P 150	10	10
250 x 750	6059530	P 16	5	5
	6007430	P 24	5	5
	6007451	P 36	5	5
	6007452	P 40	5	5
	6007454	P 50	5	5
	6007456	P 60	5	5
	6007453	P 80	10	10
	6007455	P 100	10	10
	6007468	P 120	10	10

*MOQ 50 Belts

Zirconia cloth - offering higher stock removal and longer life on all wood types

Width x length (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
RB 480 24 YX				
200 x 551	6101470	+ 24	10	10
	6048316	+ 24	10	10
	6027366	+ 36	10	10
	6048317	+ 40	10	10
	6066653	+ 50	10	10
	6048318	+ 60	10	10
	6048320	+ 80	10	10
	6048319	+ 100	10	10
	6043590	+ 120	10	10
	250 x 750	6085973	+ 24	5
6061350		+ 36	5	5
6089447		+ 40	5	5
6061372		+ 60	5	5
6086593		+ 80	10	10
6105498		+ 100	10	10
6061373		+ 120	10	10

Silicon carbide cloth - for use on wood, mineral composites, marble and lacquer

Width x length (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
RB 315 YX				
200 x 750	6127702	P 36	10	10
	6127703	P 40	10	10
	6127704	P 60	10	10
	6127705	P 80	10	10
	6127706	P 100	10	10
	6174796	P 120	10	10

*MOQ 50 Belts

RB320X




RB48024YX



Ø x Thickness x Ø	Order Code	Pack Units	Product Description	
Metal Cutting Wheels				
Flat				
115 x 2.5 x 22mm	6148744	25	A 36 T-BF General Metal Wheels for general metal working	
125 x 2.5 x 22mm	6148746	25		
230 x 2.5 x 22mm	6149194	25		
Depressed				
115 x 3.2 x 22mm	6148745	25	A 60 T-BF Fast Cut Thin Wheels for easy cutting of thin sheet, tube & profile made of steel, stainless steel & aluminium	
125 x 3.2 x 22mm	6148747	25		
230 x 3.2 x 22mm	6148749	25		
Flat				
115 x 1.0 x 22mm	6148750	25	A 30 T-BF Inox Wheels for stainless steel and non-ferrous metals	
115 x 1.6 x 22mm	6148751	25		
125 x 1.0 x 22mm	6148752	25		
125 x 1.6 x 22mm	6148753	25		
Flat				
125 x 2.0 x 22mm	*6148756	25		
230 x 2.0 x 22mm	6148758	25		
Metal Grinding Discs				
Depressed				
115 x 6 x 22mm	6148760	10	A 36 T-BF General Metal for general metal working	
125 x 6 x 22mm	6148761	10		
180 x 8 x 22mm	6148762	10		
230 x 6 x 22mm	6148764	10		
Stone Cutting Wheels				
Flat				
230 x 3.0 x 22mm	6385777	25	C 24 R-BF Premium for general stone working	
Depressed				
230 x 3.0 x 22mm	6385778	25		
125 x 2.5 x 22mm	343471	25		
Metal Combined Wheel for Cutting & Grinding all steel types				
Depressed				
115 x 3.5 x 22mm	6199499	25	A 46 T-BF Maestro	

*Discontinued Item






Hermes-Flex, Cutting & Grinding Discs



HERMES
FLEX

Performance Range			
Ø x Thickness x Ø	Order Code	Pack Units	Product Description
Metal Cutting Wheels			
Flat			
100 x 2.5 x 16mm	6010256	25	A 24 R-BF Premium High performance universal wheels for general metal working
115 x 2.5 x 22mm	343129	25	
125 x 2.5 x 22mm	343137	25	
180 x 3.0 x 22mm	6385763	25	
230 x 3.0 x 22mm	6385772	25	
300 x 3.5 x 20mm	6010258	10	
300 x 3.5 x 22mm	6010257	10	
Depressed			
100 x 2.5 x 16mm	343196	25	A 24 R-BF Premium High performance universal wheels for general metal working
115 x 2.5 x 22mm	343218	25	
125 x 2.5 x 22mm	343226	25	
230 x 3.0 x 22mm	6385773	25	
Flat			
125 x 2.0 x 22mm	6002472	25	A 36 R-BF Stainless
230 x 2.0 x 22mm	6002474	25	
Flat			
115 x 1.6 x 22mm	6002475	25	A 46 T-BF Slim
125 x 1.6 x 22mm	6002476	25	
Flat			
115 x 1.0 x 22mm	6002478	25	A 60 T-BF Thin
125 x 1.0 x 22mm	6002479	25	
Metal Grinding discs			
Depressed			
115 x 6.0 x 22mm	343609	10	A 24 R-BF Premium High performance universal wheels for general metal working
125 x 6.0 x 22mm	343617	10	
230 x 6.0 x 22mm	343692	10	
Depressed			
125 x 6.0 x 22mm	6014214	10	A 24 R-BF Pro-Steel
230 x 7.0 x 22mm	6014216	10	




Rolls



MULTIHOLE

47



Paper

48



Cloth

49



Graphite

50



WEBRAX

50



MULTIHOLE, Rolls

The end of the abrasive tool life is frequently determined by premature loading with dust. Although conventional extraction processes reduce loading, they cannot prevent it across the whole of the tool surface, in particular. For the first time, new Hermes MULTIHOLE abrasive tools produced by the patented use it® method (EP Patent 0781629/US Patent 5,810,650) make it possible to sand virtually cleanly without the symptoms of loading. Perforation of the whole of the surface of the abrasive tool enables dust to be extracted efficiently from the entire surface of the tool.

Product Benefits

- Lower sanding costs, as sanding can be performed without loading problems
- Longer tool life compared to conventional extraction methods
- High sanding performance: shorter sanding times mean higher productivity
- Continuous extraction of dust from the whole surface means much better sanding pattern: no formation of "built-up", minimisation of dust residues on sanded surfaces
- Better surface quality: cooling flow of air over the whole surface of the abrasive tool reduces sanding temperature
- Avoids problems caused by sanding dust in paint cabins or other adjacent working areas
- Hermes MULTIHOLE abrasive tools can be used universally on all conventional backing pads with extraction holes

Applications

- Used on random orbital sanders with dust extraction when sanding cars, rail vehicles, aircraft or speedboats:
- sanding off old paint
 - intermediate and fine sanding of primer, filler and paint
 - intermediate and fine sanding of plastics and fibre - composite materials like glass fibre-reinforced plastic
 - fine sanding of car body parts made of steel and aluminium
- Its open structure means it can also be used for manual sanding

Flexible perforated C weight paper, Special hole system reduces dust in work place and gives higher performance. aluminium oxide + long life coating. Suitable for wood, metal, fillers, lacquer, G.R.P. and paint.

Dia (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
VC 151-Longlife VEL MULTIHOLE				
70 x 25 m 	6147643	P 80	25	25
	6147644	P 120	25	25
	6147646	P 150	25	25
	6147647	P 180	25	25
	6147649	P 240	25	25
	6155517	P 320	25	25
	6157003	P 400	25	25
115 x 25 m 	6147654	P 80	25	25
	6147657	P 120	25	25
	6147658	P 150	25	25
	6147659	P 180	25	25
	6147660	P 240	25	25
	6157004	P 320	25	25
	6157005	P 400	25	25



VC 151 LL VEL MULTIHOLE

Velour Hand file/block for use with MULTIHOLE rolls

Size mm	Order Code	-	Packing Unit	
			Inner	Outer
70 x 125	6092820	-	1	1
68 x 196	6127134	-	1	1
70 x 400	6092824	-	1	1
115 x 230	6092823	-	1	1





Rolls

Heavy duty aluminium oxide paper for sanding all wood types						
Width x length (mm)	Order Code	Grit	Packing Unit			
			Inner	Outer		
BW 110						
70 x 50 m	6191749	P 40		50	50	
	6069198	P 60		50	50	
	6156078	P 80		50	50	
	6190403	P 120		50	50	
	6210692	P 150		50	50	
115 x 50 m	6164768	P 40		50	50	
	6064036	P 60		50	50	
	6064037	P 80		50	50	
	6064038	P 100		50	50	
	6055546	P 120		50	50	
	6064039	P 150		50	50	
	6068562	P 180		50	50	
	6069461	P 220		50	50	
	6162585	P 240		50	50	
	6164969	P 320		50	50	
100 x 50 m	6074932	P 60		50	50	
	6074933	P 80		50	50	
	6074934	P 100		50	50	
	6074935	P 120		50	50	
	6074936	P 150		50	50	
115 x 10 m	6225205	P 40		MOQ	15 rolls	
	6411571	P 60		10	10	
	6411572	P 80		10	10	
	6411573	P 100		10	10	
	6411574	P 120		10	10	
	6226448	P 150		MOQ	15 rolls	
	6411575	P 180		10	10	
120 x 50 m	6069758	P 80		50	50	
	6069646	P 100		50	50	
	6069695	P 120		50	50	
	6070124	P 150		50	50	
150 x 50 m	6074938	P 60		50	50	
	6066084	P 80		50	50	
	6074939	P 100		50	50	
	6074941	P 120		50	50	
	6067030	P 150		50	50	
	6067799	P 180		50	50	

*MOQ 5 x 50M per grit

Medium weight open coat aluminium oxide paper for wood, metal, glass fibre, paint, filler and lacquer						
Width x length (mm)	Order Code	Grit	Packing Unit			
			Inner	Outer		
VC 152						
115 x 50 m	6075471	P 40		50	50	
	6068168	P 60		50	50	
	6074585	P 80		50	50	
	6068169	P 100		50	50	
	6067962	P 120		50	50	
	6068357	P 150		50	50	
	6067964	P 180		50	50	
	6074057	P 220		50	50	
	6072267	P 240		50	50	
	6072282	P 280		50	50	
	6075086	P 400		50	50	
115 x 10 m	6118193	P 40		MOQ	15 rolls	
	6417597	P 60		10	10	
	6417598	P 80		10	10	
	6417599	P 120		10	10	
	6118197	P 150		MOQ	15 rolls	
	6417601	P 180		10	10	

Flexible silicon carbide paper for denibbing & finishing wood, paint, lacquer and plastic						
Width x length (mm)	Order Code	Grit	Packing Unit			
			Inner	Outer		
SF 168						
115 x 50 m	6340936	P 80		50	50	
	6352039	P 100		50	50	
	6340938	P 120		50	50	
	6340940	P 150		50	50	
	6340941	P 180		50	50	
	6336528	P 220		50	50	
	6339523	P 240		50	50	
	6340942	P 280		50	50	
	6340203	P 320		50	50	
	6340944	P 400		50	50	
	6340946	P 500		50	50	

Heavy duty anti-static aluminium oxide paper for all wood and metal types. Open coated to reduce clogging						
Width x length (mm)	Order Code	Grit	Packing Unit			
			Inner	Outer		
BW 114						
115 x 50 m	304336	P 80		50	50	
	304344	P 100		50	50	
	208914	P 120		50	50	






Rolls

Very flexible aluminium oxide cloth for sanding all wood and metal types

Width x length (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
RB 346 J-flex				
25 x 50 m 	6008627	P 60	50	50
	6008692	P 80	50	50
	6008693	P 100	50	50
	6008694	P 120	50	50
	6008695	P 150	50	50
	6008696	P 180	50	50
	6008697	P 220	50	50
	6008698	P 240	50	50
	6008699	P 280	50	50
	6008700	P 320	50	50
6008791	P 400	50	50	
40 x 50 m	6008861	P 40	50	50
	6008793	P 60	50	50
	6008794	P 80	50	50
	6008795	P 100	50	50
	6008796	P 120	50	50
	6008797	P 150	50	50
	6008798	P 180	50	50
	6008799	P 220	50	50
	6008800	P 240	50	50
	6008801	P 320	50	50
6008802	P 400	50	50	
50 x 25 m	6008862	P 40	25	25
	6008816	P 50	25	25
	6008819	P 60	25	25
	6008820	P 80	25	25
	6008821	P 100	25	25
	6008822	P 120	25	25
	6008823	P 150	25	25
	6008824	P 180	25	25
	6008825	P 220	25	25
	6008826	P 240	25	25
6008827	P 320	25	25	
6008828	P 400	25	25	
50 x 50 m	6008803	P 60	50	50
	6008804	P 80	50	50
	6008805	P 100	50	50
	6008806	P 120	50	50
	6008807	P 150	50	50
	6008808	P 180	50	50
	6008809	P 220	50	50
	6008810	P 240	50	50
	6008811	P 280	50	50
	6008812	P 320	50	50
6008814	P 400	50	50	

Width x length (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
RB 346 J-flex				
100 x 50 m	6008829	P 40	50	50
	6008830	P 60	50	50
	6008831	P 80	50	50
	6008832	P 100	50	50
	6008833	P 120	50	50
	6008834	P 150	50	50
	6008835	P 180	50	50
	6008836	P 220	50	50
	6008837	P 240	50	50
	6008838	P 280	50	50
6008839	P 320	50	50	
6008840	P 400	50	50	
115 x 50 m	6008841	P 60	50	50
	6008842	P 80	50	50
	6008843	P 100	50	50
	6008844	P 120	50	50
	6008845	P 150	50	50
	6008846	P 180	50	50
	6026229	P 220	50	50
	6013302	P 240	50	50
150 x 50 m	6008847	P 60	50	50
	6008848	P 80	50	50
	6008849	P 100	50	50
	6008850	P 120	50	50
	6008851	P 150	50	50
6008852	P 180	50	50	
200 x 50 m	6008853	P 80	50	50
	6008817	P 100	50	50
	1395769	P 120	50	50
	6008818	P 150	50	50

Premium quality very flexible aluminium oxide cloth for cool cutting on all wood and metal types

Width x length (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
RB 406 J-flex				
100 x 50 m 	* 386758	P 80	50	50
	* 721999	P 100	50	50
	* 67504	P 120	50	50
	919470	P 150	50	50
	722006	P 180	50	50
	939676	P 240	50	50
	385263	P 320	50	50
*MOQ 250M	210757	P 400	50	50

Semi flexible aluminium oxide cloth for sanding all wood and metal types

Width x length (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
RB 346 MJ				
100 x 50 m	5002	P 600	50	50
	*MOQ 250M	* 5029	P 800	50



Rolls , Graphite

Nodular graphite on cloth backing for all sanding applications - Recommended for wide belt sanders

Flake graphite on cloth backing for high heat and pressure applications - Recommended for narrow belt sanders

Width(mm)	Length	Order Code	-	Packing Unit	
				Inner	Outer
GL 580 Anti-friction					
50	x 1 M	6122490	-	1	1
75	x 1 M	116181	-	1	1
100	x 1 M	14265	-	1	1
150	x 1 M	26174	-	1	1
200	x 1 M	2380	-	1	1
270	x 1 M	6031240	-	1	1
300	x 1 M	6026646	-	1	1

Width(mm)	Length	Order Code	-	Packing Unit	
				Inner	Outer
GL 581 Anti-friction					
50	x 1 M	6049212	-	1	1
75	x 1 M	6026085	-	1	1
100	x 1 M	43494	-	1	1
150	x 1 M	25852	-	1	1
200	x 1 M	82988	-	1	1
270	x 1 M	242462	-	1	1
300	x 1 M	139645	-	1	1

Please call our Customer Service Dept on 0404 25725 for prices on graphite sizes not listed



Foam pads for contact bars also available.

Please call our office on 0404 25725

Rolls, WEBRAX

Aluminium oxide medium density non woven roll

Silicon carbide high density non woven roll for a more aggressive cut

Width x length (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
WEBRAX-OA 708				
100 x 10 m	33227	+ 120	10	10
	52531	+ 180	10	10
	3875	+ 280	10	10
	16659	+ 360	10	10
115 x 10 m	71307	+ 120	10	10
	59420	+ 180	10	10
	84611	+ 280	10	10
	65501	+ 360	10	10
150 x 10 m	4219	+ 280	10	10

Width x length (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
WEBRAX-OS 715				
100 x 10 m	13110	+ 180	10	10
	34096	+ 280	10	10
	37923	+ 500	10	10
	21334	+ 800	10	10

Silicon carbide light & soft non woven roll with high grain density for good cut & fine finish

Width x length (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
WEBRAX-OS 709				
100 x 10 m	41866	+ 280	10	10
	95206	+ 500	10	10
	210366	+ 800	10	10
	52183	+ 1500	10	10
115 x 10 m	6004918	+ 280	10	10
	69701	+ 500	10	10
	6004999	+ 800	10	10
	71358	+ 1500	10	10

Aluminium oxide heavy duty non woven roll

Width x length (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
WEBRAX-OA 710				
100 x 10 m	39802	+ 80	10	10
	107840	+ 100	10	10
	46434	+ 120	10	10
	20109	+ 180	10	10
	22160	+ 280	10	10
WEBRAX-OA 713				
100 x 10 m	37958	+ 100	50	50
	102229	+ 180	10	10
	100269	+ 280	10	10



OA 708

Belts



Narrow Belts	Cloth for hand held & portable machines	52
	for power file grinders	53
	for Metal grinding	54
	HERMESIT for centreless applications	55
	MERCURIT® for centreless applications	56
	Cork & Cork mix	58
	WEBRAX	58

Wide Belts	Paper for Woodworking & Metalworking	59
-------------------	--------------------------------------	-----------



Belts for hand held & portable machines



Aluminium oxide cloth belts for all wood and metal grinding applications



Width x length (mm)	Order Code	Grit	Packing Unit		Width x length (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer				Inner	Outer
HSB					HSB				
60 x 400	* 6005152	P 40	50	50	100 x 610	* 6057398	P 24	5	5
	* 6005153	P 60	50	50		19933	P 40	10	10
	* 6005154	P 80	10	10		281883	P 50	10	10
	6005156	P 120	25	25		19941	P 60	10	10
65 x 410	39063	P 40	10	10		19968	P 80	10	10
	29610	P 60	10	10		19992	P 100	10	10
	20435	P 80	25	25		20001	P 120	10	10
	20583	P 100	25	25		71013	P 150	10	10
	20613	P 120	25	25		20028	P 180	10	10
75 x 457	214523	P 40	10	10		* 222011	P 240	10	10
	174173	P 60	10	10		* 6019430	P 320	10	10
	174130	P 80	10	10	100 x 620	20036	P 40	10	10
	174114	P 100	10	10		20052	P 60	10	10
	272086	P 120	10	10		19712	P 80	10	10
75 x 480	20168	P 40	10	10		19704	P 100	10	10
	6408	P 60	10	10		20079	P 120	10	10
	6416	P 80	10	10	69760	P 150	10	10	
	19720	P 100	10	10	100 x 860	109134	P 40	10	10
	19739	P 120	10	10		28665	P 60	10	10
54739	P 150	10	10	19437		P 80	10	10	
75 x 510	89400	P 60	10	10		5509	P 100	10	10
	34584	P 80	10	10		31682	P 120	10	10
	73016	P 100	10	10	31623	P 150	10	10	
75 x 533	329	P 40	10	10	100 x 900	20621	P 80	10	10
	* 70904	P 50	10	10		22721	P 100	10	10
	337	P 60	10	10		22748	P 120	10	10
	8338	P 80	10	10	100 x 920	7307	P 60	10	10
	19860	P 100	10	10		23299	P 80	10	10
	1597	P 120	10	10		163503	P 100	10	10
	19887	P 150	10	10	100 x 950	29203	P 60	10	10
	19909	P 180	10	10		1899	P 80	10	10
	59501	P 220	10	10		32344	P 100	10	10
75 x 610	* 167177	P 40	50	50	20508	P 120	10	10	
	148741	P 60	10	10	105 x 620	28045	P 40	10	10
	167185	P 80	10	10		28061	P 60	10	10
	167193	P 100	10	10		26514	P 80	10	10
100 x 560	345	P 40	10	10		41254	P 100	10	10
	477	P 60	10	10		26549	P 120	10	10
	20370	P 80	10	10	110 x 620	779	P 40	10	10
	20419	P 100	10	10		19348	P 60	10	10
	18902	P 120	10	10		19364	P 80	10	10
	11886	P 150	10	10		19372	P 100	10	10
	96946	P 180	10	10		19402	P 120	10	10

*MOQ 50 Belts



HSB



Belts for power file grinders

Premium ceramic with procut on polyester backing for grinding all metal types					
Width x length (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
CR 456 Z					
4 x 457	6363885	+ 40		50	50
	6355310	+ 60		50	50
	6251500	+ 80		50	50
	6354899	+ 100		50	50
	6120825	+ 120		50	50
4 x 610	6374047	+ 40		50	50
	6358662	+ 60		50	50
	6120802	+ 80		50	50
	6374048	+ 100		50	50
	6120804	+ 120		50	50
6 x 457	6120826	+ 40		50	50
	6120827	+ 60		50	50
	6120828	+ 80		50	50
	6374049	+ 100		50	50
	6120829	+ 120		50	50
6 x 610	6120806	+ 40		50	50
	6088274	+ 60		50	50
	6100449	+ 80		50	50
	6374051	+ 100		50	50
	6120807	+ 120		50	50
12 x 457	6120830	+ 40		50	50
	6120831	+ 60		50	50
	6120832	+ 80		50	50
	6222882	+ 100		50	50
	6120833	+ 120		50	50
12 x 610	6098471	+ 40		50	50
	6085460	+ 60		50	50
	6120810	+ 80		50	50
	6374053	+ 100		50	50
	6120821	+ 120		50	50

Cotton cloth aluminium oxide for all wood and metal types					
Width x length (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
RB 346 23 MX					
20 x 520	230324	P 60		10	10
	310379	P 80		25	25

Heavy weight aluminium oxide for general purpose grinding of all wood and metal types					
Width x length (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
RB 377 YX					
10 x 330	6104159	+ 40		50	50
	6085698	+ 60		50	50
	6085699	+ 80		50	50
	6085700	+ 120		50	50
	6085712	+ 40		50	50
12 x 457	6059364	+ 60		50	50
	6059538	+ 80		50	50
	6085715	+ 40		50	50
12 x 610	6077020	+ 60		50	50
	6085717	+ 80		50	50
	6085721	+ 100		50	50
	6079206	+ 120		50	50
	6085722	+ 150		50	50
	6085723	+ 180		50	50
	6085724	+ 240		50	50
	6085725	+ 60		50	50
15 x 330	6085725	+ 60		50	50
30 x 740	6323020	+ 120		25	25
	6323447	+ 240		25	25
	6323448	+ 320		10	10



CR 456 Z



RB 346 MX



RB 377 YX

Please call our Customer Service Dept on 0404 25725 for prices on belt sizes not listed



Belts

Aluminium oxide poly cotton backed for economical grinding of all metal types


Width x length (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
RB 377 YX				
25 x 1065	6041737	+ 60	10	10
	6054140	+ 80	25	25
	6068727	+ 100	25	25
50 x 1525	6082601	+ 40	10	10
	6068201	+ 60	10	10
	6035255	+ 80	25	25
	6072265	+ 120	25	25
100 x 915	6078863	+ 36	5	5
	6082391	+ 40	10	10
	6041736	+ 60	10	10
	6043651	+ 80	10	10
	6050767	+ 100	10	10
	6050768	+ 120	10	10
	6080202	+ 150	10	10
	6076982	+ 180	10	10
	6322722	+ 120	10	10
100 x 3500	6323449	+ 180	10	10
	6090446	+ 240	10	10
	6090449	+ 400	10	10
150 x 1090	6054139	+ 60	10	10
	6051285	+ 80	10	10
	6049843	+ 120	10	10
150 x 1220	6041735	+ 60	10	10
	6049312	+ 80	10	10
	6060547	+ 100	10	10
	6043652	+ 120	10	10
150 x 2500	6322736	+ 120	10	10
	6323453	+ 150	10	10
	6323454	+ 180	10	10
	6323455	+ 240	10	10
	6323456	+ 320	10	10
	6323458	+ 400	10	10

Very flexible aluminium oxide cloth for polishing all metal types

Width x length (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
RB 346 J-flex				
50 x 1525	6327598	P 80	25	25
	6326502	P 100	25	25
	6326503	P 120	25	25
	6325071	P 150	25	25
	6325069	P 180	25	25
	6325070	P 240	25	25
	6326505	P 320	25	25
	6326507	P 400	25	25

Premium quality very flexible aluminium oxide cloth for cool cutting on all wood and metal types

Width x length (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
RB 406 J-flex				
50 x 2000	6083630	P 80	25	25
	6148526	P 150	25	25
	6186414	P 180	25	25
	6094633	P 220	25	25
	6109580	P 320	25	25
	6109592	P 400	25	25
50 x 3500	6073693	P 80	25	25
	6143621	P 100	25	25
	6077812	P 120	25	25
	6087042	P 150	25	25
	6075908	P 180	25	25
	6186435	P 220	25	25
	6103014	P 320	25	25
	6070823	P 400	25	25



Heavy duty silicon carbide polyester backed material. Suitable for grinding under both wet & dry cutting conditions


Width x length (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
RB 375 Y				
30 x 533	6301101	P 80	25	25
50 x 1800	6298527	P 80	25	25
	6005279	P 100	25	25
	6296246	P 150	25	25



RB 375 Y



Belts, HERMESIT



Hermes HERMESIT grinding belts have special hollow spheres coated with grain which break down evenly during grinding, but simultaneously keep exposing new abrasive grain.

HERMESIT grinding belts produce an extraordinary grinding pattern, the so-called "HERMESIT finish". We recommend use on centreless grinding machines at low (HERMESIT RB 545 X) to medium grinding pressures (HERMESIT 535 Y or RB 545 Y).

These abrasives can be used universally in dry and wet grinding (resistant to water, emulsion and oil).

HERMESIT Premium 'patented' hollow sphere heavy duty polyester cloth provides high stock removal & consistent finish

Width x length (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
RB 535 Y				
100 x 3500	23558	P 60	5	5
	14648	P 80	5	5
	14656	P 100	5	5
	23612	P 120	10	10
	168696	P 180	10	10
	34045	P 320	10	10
150 x 2500	136042	P 80	5	5
	118567	P 120	10	10
	1600	P 180	10	10
	136018	P 240	10	10
150 x 3500	48364	P 60	5	5
	29351	P 80	5	5
	47988	P 100	5	5

Product Features & Benefits -

- For professional fine grinding
- Suitable for producing a bright matt finish
- Constant roughness over the entire length of use
- Universally used for dry or wet grinding
- HERMESIT Hollow sphere ball system means up to 5 times longer tool life



RB 535 Y

HERMESIT Premium 'patented' hollow sphere waterproof cloth gives consistent fine finish & long life

Width x length (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
RB 535 X				
100 x 3500	6019651	P 150	10	10
	6019652	P 240	10	10
	6019653	P 320	10	10
	6019654	P 400	10	10
150 x 2500	6019028	P 180	10	10
	6019633	P 240	10	10
	6019029	P 280	10	10
	6019030	P 320	10	10
	6019469	P 400	10	10
1600 x 2620	50113	P 180	5	5
	56529	P 220	5	5
	275018	P 240	5	5
	50075	P 320	5	5

Product Features & Benefits -

- For professional fine grinding
- Consistent surface roughness's to the end of the tool life
- HERMESIT Hollow sphere ball system means up to 5 times longer tool life
- Especially suitable for an even fine grinding pattern




RB 535 X

RB545Y & RB545X prices available on request



Belts, MERCURIT®



A complete solution.

The Hermes MERCURIT® grinding belt system for centreless applications

Hermes MERCURIT grinding belts have a compact grain conglomerate structure. A large number of grains form the conglomerate in a bond mixture. During grinding, new layers of grain are continuously exposed, giving MERCURIT an extremely long tool life

Type comparison - MERCURIT® products for centreless grinding

	MERCURIT® RB 591 Y	MERCURIT® RB 590 Y	MERCURIT® RB 598 Y
Product description			
Abrasive grain	Aluminium oxide agglomerate	Aluminium oxide agglomerate	Silicon carbide soft agglomerate
Bonding	Resin, red	Resin, red-brown	Resin, black
Backing	Heavy, synthetic Y-cloth	Heavy, synthetic Y-cloth	Heavy, synthetic Y-cloth
Coating	Closed	Closed	Closed
Grit range	P 180, P 240, P 320, P 400, P 600	P 80, P 120, P 180, P 240, P 320, P 400, P 600	P 240, P 320, P 400, P 600 to P 1200
Applications	<ul style="list-style-type: none"> • Intermediate and fine grinding of tubes, rods and square tubes • Applications with medium grinding pressure (wet and dry) 	<ul style="list-style-type: none"> • Intermediate and fine grinding of tubes, rods and square tubes • Applications with high grinding pressure (wet) 	<ul style="list-style-type: none"> • Finishing and Polishing of stainless steel tubes, hydraulic cylinders and metal surfaces before and after chroming • Applications involving low to medium grinding pressure (wet)
Product benefits	<ul style="list-style-type: none"> • High-performance grinding belts with medium grinding pressure • Aluminium oxide abrasive grain produces a satin surface finish • Universally suitable for wet and dry grinding applications 	<ul style="list-style-type: none"> • High-performance grinding belts with high grinding pressure • Aluminium oxide abrasive grain produces a satin surface finish 	<ul style="list-style-type: none"> • Constant, low level of stock removal with a simultaneous polishing action • Silicon carbide abrasive grain produces a reflective bright surface finish
Materials	Stainless steel, carbon steel (before chroming), high-alloy steel (e.g. chrome steel, chrome/nickel steel), titanium alloys	Stainless steel, carbon steel (before chroming), high-alloy steel (e.g. chrome steel, chrome/nickel steel), titanium alloys	Stainless steel, carbon steel (before and after chroming), high-alloy steel (e.g. chrome steel, chrome/nickel steel), titanium alloys



Heavy duty polyester cloth with aluminium oxide agglomerate grain											
Width x length (mm)	Order Code	Grit	Packing Unit		Width x length (mm)	Order Code	Grit	Packing Unit			
			Inner	Outer				Inner	Outer		
RB 590 Y					RB 590 Y						
150 x 2500	6206551	P 120		10	10	150 x 3500	6232014	P 80		50	50
	6207114	P 180		10	10		6203263	P 120		10	10
	6207429	P 240		10	10		6203265	P 180		10	10
	6207115	P 320		10	10		6203266	P 240		10	10
	6208132	P 400		10	10		6203267	P 320		10	10
	6208134	P 600		10	10		6203268	P 400		10	10
							6203269	P 600		10	10

Heavy duty polyester cloth with silicon carbide agglomerate grain											
Width x length (mm)	Order Code	Grit	Packing Unit		Width x length (mm)	Order Code	Grit	Packing Unit			
			Inner	Outer				Inner	Outer		
RB 598 Y					RB 598 Y						
150 x 2500	6327121	P 240		10	10	150 x 3500	6325138	P 240		10	10
	6328837	P 320		10	10		6326288	P 320		10	10
	6325562	P 400		10	10		6317382	P 400		10	10
	6325563	P 600		10	10		6326286	P 600		10	10
	6319930	P 800		10	10		6316680	P 800		10	10
	6319933	P 1000		10	10		6325139	P 1000		10	10
	6320139	P 1200		10	10		6316924	P 1200		10	10



Belts, CORK & GRIT MIX & PURE CORK

Waterproof cork with silicon carbide grain added gives excellent final finish to metal & glass					
Width x length (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
RB 515 X					
100 x 3500	6006147	P 400		5	5
	6006148	P 600		5	5
	6006149	P 800		5	5
150 x 2500	6005361	P 400		5	5
	6006151	P 600		5	5
	6006152	P 800		5	5
	6006153	P 1000		5	5
150 x 3500	6005362	P 400		5	5
	6006154	P 600		5	5
	6006155	P 800		5	5
	6006156	P 1000		5	5

Waterproof pure cork suitable for polishing metal and glass					
Width x length (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
RB 555 X					
100 x 3500	* 6153086	-		5	5
150 x 2500	* 6047228	-		5	5
150 x 3500	* 6032998	-		5	5

*MOQ 10 Belts

Product Features & Benefits -

- Produces a very bright mirror finish
- Cork particles mean a special fine structured grinding pattern for finest grinding of metal surfaces

Product Features & Benefits -

- Long tool life
- Cork particles mean a special fine structured grinding pattern for finest grinding of metal surfaces



RB 515 X



RB 555 X

Other sizes available on request

Belts, WEBRAX

Heavy duty aluminium oxide WEBRAX belts for graining aluminium and steel components					
Width x length (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
WEBRAX-AN 701 50*					
6 x 520	6161840	+ 100		25	25
12 x 520	6161872	+ 180		25	25
	6161873	+ 280		25	25
12 x 610	6165793	+ 80		25	25
	6161875	+ 100		25	25
	6161876	+ 180		25	25
20 x 520	6203785	+ 100		25	25

* See WEBRAX grading chart below

Aluminium oxide WEBRAX belts for graining aluminium and steel components but gives softer finish					
Width x length (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
WEBRAX-AN 702					
12 x 610	6178781	+ 280		5	5
50 x 450	6042317	+ 100		5	5
	6042318	+ 180		5	5
50 x 3500	1392522	+ 180		5	5
	871001	+ 280		5	5
90 x 395	6278203	+ 100		20	20
100 x 1000	742481	+ 180		5	5
100 x 3500	850950	+ 180		5	5
	871028	+ 280		5	5
	790338	+ 180		5	5
150 x 2500	724734	+ 280		5	5
	725161	+ 280		5	5

Grit size comparison

Hermes-Standard	+80	+100	+120	+150	+180	+220	+280	+320	+360	+400	+500	+800	+1500
Competitors	Coarse		Medium		Fine			Very fine			Super fine	Ultra fine	
	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑
	BROWN	MAROON		RED			BLUE					GREY	



Paper Wide Belts, BW110

Economical aluminium oxide paper for wood & metal					
Width x length (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
BW 110					
630 x 1900	6063078	P 180		10	10
930 x 1900	6082024	P 60		5	5
	6060915	P 80		10	10
	6071809	P 100		10	10
	6060916	P 120		10	10
	6097413	P 180		10	10
	6217326	P 240		10	10
	6228115	P 320		10	10
1100 x 1900	6061489	P 60		5	5
	6061490	P 80		10	10
	6061501	P 100		10	10
	6062726	P 120		10	10
	6060906	P 150		10	10
	6073151	P 180		10	10
1120 x 1900	6061884	P 60		5	5
	6059995	P 80		10	10
	6061883	P 100		10	10
	6058374	P 120		10	10
	6059997	P 150		10	10
	6061885	P 180		10	10
	6084847	P 220		10	10
1120 x 2150	6075044	P 60		5	5
	6062744	P 80		10	10
	6062745	P 100		10	10
	6063820	P 120		10	10
	6075045	P 150		10	10
	6075046	P 180		10	10
1350 x 2620	6060849	P 60		5	5
	6059818	P 80		10	10
	6059704	P 100		10	10
	6059712	P 120		10	10
	6059713	P 150		10	10
	6059714	P 180		10	10
	6059776	P 220		10	10
	6169457	P 280		10	10
	6166409	P 320		10	10
1360 x 1900	6062880	P 60		5	5
	6062891	P 80		10	10
	6075047	P 100		10	10
	6059184	P 120		10	10
	6059189	P 150		10	10
	6075048	P 180		10	10
1380 x 2150	6066662	P 60		5	5
	6066594	P 80		10	10
	6066596	P 100		10	10
	6072015	P 120		10	10
	6072865	P 150		10	10
	6072866	P 180		10	10



Product Features & Benefits -

- Antistatic and semi-open structure reduces the risk of loading
- Good stock removal rate even at low sanding pressure
- Stable and flexible E-weight paper backing
- Good sanding pattern

Applications

- Especially suitable for sanding all types of soft and hard woods
- Ideal for sanding different materials without changing the abrasive belt

Other sizes can be manufactured on site in Colchester.
Please see our HUK Belt Production guide on page 6



BW 110



Paper Wide Belts, BW114

Heavy duty open coat aluminium oxide paper with anti static additives for soft and hard woods

Width x length (mm)	Order Code	Grit	Packing Unit	
			Inner	Outer
BW 114				
320 x 2000	6022646	P 100	10	10
930 x 1525	52043	P 80	10	10
	139726	P 100	10	10
	202037	P 120	10	10
	365599	P 150	10	10
930 x 1900	97799	P 80	10	10
	23728	P 100	10	10
	23698	P 120	10	10
	73199	P 150	10	10
	310417	P 180	10	10
1100 x 1900	122971	P 60	5	5
	14559	P 80	10	10
	14567	P 100	10	10
	23221	P 120	10	10
	74144	P 150	10	10
	18821	P 180	10	10
	283827	P 220	10	10
1120 x 1900	7293	P 60	5	5
	48887	P 80	10	10
	566	P 100	10	10
	7285	P 120	10	10
	7250	P 150	10	10
	131563	P 180	10	10
1120 x 2000	735647	P 80	10	10
	646008	P 100	10	10
	735655	P 120	10	10
	1101390	P 150	10	10
	1107526	P 180	10	10
1120 x 2150	7072	P 60	5	5
	7064	P 80	10	10
	94870	P 100	10	10
	44520	P 120	10	10
	78905	P 150	10	10
	7056	P 180	10	10
1150 x 2500	6008628	P 80	10	10
1300 x 1900	53392	P 80	10	10
	19380	P 100	10	10
	25895	P 120	10	10
	19399	P 150	10	10
	53406	P 180	10	10

Product Features & Benefits -

- Very High stock removal rates
 - Open coating & Antistatic structure
 - Stable & tear resistant F weight paper backing
- allows sanding with high pressure

Applications

- Surface sanding of primer, filler & lacquer
- Especially suitable for sanding all types of soft and hard woods

Other sizes can be manufactured on site in Colchester.

Please see our HUK Belt Production guide on page 6

1350 x 2620	332259	P 40	5	5
	23469	P 60	5	5
	10324	P 80	10	10
	23477	P 100	10	10
	10375	P 120	10	10
	22691	P 150	10	10
	73717	P 180	10	10
	22640	P 220	10	10
	349089	P 280	10	10
	349097	P 320	10	10
	295612	P 400	10	10
6002301	P 500	10	10	
6006016	P 600	10	10	
1350 x 3250	20761	P 120	10	10
	105635	P 150	10	10
	39888	P 180	10	10
	336483	P 220	10	10
1360 x 1900	310972	P 60	5	5
	7102	P 80	10	10
	236020	P 100	10	10
	209694	P 120	10	10
	7110	P 150	10	10
	406783	P 180	10	10
1370 x 2620	6021484	P 60	5	5
	6021580	P 100	10	10
	6006699	P 120	10	10
	6021543	P 150	10	10
	6021432	P 180	10	10
	6021869	P 240	10	10
	6022686	P 320	10	10
	6021874	P 400	10	10
	201599	P 60	5	5
1380 x 2150	177253	P 80	10	10
	201502	P 100	10	10
	155519	P 120	10	10
	177288	P 150	10	10
	155527	P 180	10	10
	6005177	P 60	5	5
1380 x 2620	368407	P 80	10	10
	368415	P 100	10	10
	368431	P 120	10	10
	368458	P 150	10	10
	6003909	P 180	10	10
	6006720	P 220	10	10
	6021544	P 240	10	10
	6006653	P 280	10	10
	656100	P 80	10	10
	331074	P 120	10	10
1400 x 2620	94110	P 150	10	10
	6002389	P 180	10	10
	35866	P 220	10	10

BW 114





Paper Wide Belts

Heavy weight aluminium oxide paper for all hard woods and stainless steel finishing						
Width x length (mm)	Order Code	Grit		Packing Unit		
				Inner	Outer	
BW 115						
930 x 1900	6004714	P 100		10	10	
	567442	P 180		10	10	
1600 x 2620	8923	P 180		10	10	
	28347	P 220		10	10	
	28428	P 320		10	10	



BW 115

Premium heavy weight paper for all wood types and veneers						
Width x length (mm)	Order Code	Grit		Packing Unit		
				Inner	Outer	
CB 115						
1350 x 2620	6004728	P 120		10	10	
	6004729	P 150		10	10	
	2229382	P 180		10	10	



CB 115

Premium heavy duty paper for finishing stainless steel, top coated for a cooler cut						
Width x length (mm)	Order Code	Grit		Packing Unit		
				Inner	Outer	
BW 116						
1600 x 2620	2642956	P 180		10	10	
	2643014	P 220		10	10	
	2642964	P 240		10	10	
	6009315	P 280		10	10	
	6007993	P 320		10	10	
	6016061	P 400		10	10	
1600 x 2800	6021408	P 180		10	10	
	6114864	P 220		10	10	
	6021461	P 240		10	10	
	6192804	P 280		10	10	
	6114865	P 320		10	10	
	6102898	P 400		10	10	



BW 116

Other sizes available on request

Other Paper Materials available -



BS179
G weight Silicon Carbide
for heavy duty sanding of MDF




BW184
G weight Zirconia
for heavy duty calibrating
of wood & metal



Wide Belts

Heavy duty silicon carbide paper for use on stone, corian, MDF, lacquer and metal polishing						
Width x length (mm)	Order Code	Grit		Packing Unit		
				Inner	Outer	
BS 118						
1120 x 2150	6066864	P 100		10	10	
1350 x 2620	285102	P 120		10	10	
	174807	P 150		10	10	
	6007218	P 180		10	10	
	6005924	P 240		10	10	
	277622	P 280		10	10	
	568864	P 320		10	10	
	6021399	P 360		10	10	
	6003204	P 400		10	10	
	6021397	P 600		10	10	
	6021594	P 800		10	10	
1540 x 3200	682519	P 180		10	10	
1600 x 2620	631795	P 240		5	5	



BS 118

Silicon carbide paper for denibbing of lacquers and polyester						
Width x length (mm)	Order Code	Grit		Packing Unit		
				Inner	Outer	
BS 119						
1350 x 2620	6021418	P 320		10	10	
	6000257	P 400		10	10	
	6000262	P 600		10	10	
1380 x 2150	6023555	P 240		10	10	
	6022408	P 280		10	10	
	6022068	P 320		10	10	
	6061784	P 400		10	10	



BS 119

Silicon carbide paper for polyester and lacquer sanding. Top size coating prevents clogging						
Width x length (mm)	Order Code	Grit		Packing Unit		
				Inner	Outer	
BS 119-LONGLIFE						
1350 x 2620	6021552	P 240		10	10	
	6021450	P 280		10	10	
	6021425	P 320		10	10	
	6021440	P 360		10	10	
	6003910	P 400		10	10	
	6003911	P 500		10	10	
	6021391	P 600		10	10	



BS 119 Longlife

Other sizes available on request

Spirally Wound Sleeves & Mandrels

Spirally Wound Interlined Sleeves	Aluminium Oxide	64
	Zirconia	64
	Ceramic	64
	Mandrels	64





Spirally Wound Interlined Sleeves

Aluminium oxide cloth for use on all wood and metal types					
Width x Dia Ø (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
RB 346 CX					
20 x 10	26344	P 80	50	1000	
20 x 22	138630	P 40	50	1000	
	7501	P 50	50	1000	
	19313	P 60	50	1000	
	117889	P 80	50	1000	
	16861	P 150	50	1000	
20 x 30	13374	P 40	50	1000	
	12106	P 50	50	1000	
	47783	P 60	50	1000	
	147567	P 80	50	1000	
	49956	P 150	50	1000	
30 x 15	61166	P 40	50	1000	
	2518	P 50	50	1000	
	66605	P 60	50	1000	
	19690	P 80	50	1000	
	20117	P 150	50	1000	
30 x 30	26018	P 40	50	1000	
	7498	P 50	50	1000	
	4618	P 60	50	1000	
	20125	P 80	50	1000	
	33030	P 120	50	1000	
	12513	P 150	50	1000	
30 x 45	20591	P 40	50	1000	
	28088	P 50	50	1000	
	28053	P 60	50	1000	
	20133	P 80	50	1000	
	20151	P 150	50	1000	
30 x 60	11908	P 40	50	1000	
	49964	P 50	50	1000	
	14400	P 60	50	1000	
	62448	P 80	50	1000	
	14451	P 150	50	1000	

Premium zirconia cloth for use on stainless steel and exotic alloys. Special top coat gives cool cutting action					
Width x length (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
RB 486 X-flex					
20 x 22	46302	P 50	50	1000	
30 x 15	295744	P 50	50	1000	
30 x 30	2925	P 40	50	1000	
	164755	P 50	50	1000	
	6335	P 60	50	1000	
	281581	P 80	50	1000	
30 x 45	59838	P 40	50	1000	
	104329	P 50	50	1000	
	50148	P 60	50	1000	
	53325	P 80	50	1000	
30 x 60	283754	P 50	50	1000	

Heavy duty ceramic cloth for use on all metals especially corrosive and acid resistant stainless steels					
Width x length (mm)	Order Code	Grit	Packing Unit		
			Inner	Outer	
CERAMIT CN466 Z					
30 x 15	6420447	P 60	50	1000	
	6420448	P 80	50	1000	
30 x 30	6391451	P 40	50	1000	
	6420449	P 60	50	1000	
	6420450	P 80	50	1000	
30 x 45	6276913	P 40	50	1000	
	6420451	P 60	50	1000	
	6420452	P 80	50	1000	

Rubber slotted mandrels for use with Spirally Wound Interlined Sleeves (S.W.I.S) with 6mm spindle					
Width x dia Ø (mm)	Order Code	-	Packing Unit		
			Inner	Outer	
20 x 10	262110	-	10	10	
20 x 22	12122	-	10	10	
20 x 30	64513	-	10	10	
25 x 51	135380	-	50	50	
30 x 15	3271	-	10	10	
30 x 30	33049	-	1	1	
30 x 45	582	-	10	10	
30 x 60	33057	-	10	10	

CN466 Z + Mandrel



RB 346 CX + Mandrel



Hermes abrasives are quality tools and require appropriate storage conditions. Quality can be impaired by incorrect storage.

Careful storage ensures maximum benefit.



- Room temperature 18 - 22°C
- Relative humidity 45 - 65%
- Store in original packaging if at all possible, and on shelves or pallets/racks
- Use deliveries in the order they arrived

Storage



- Close to radiators
- Extreme temperature fluctuations (cold/hot)
- Store directly on concrete or stone floors
- Store in unheated rooms in winter

In order to guarantee the greatest possible occupational safety to users of Hermes abrasives, the appropriate safety pictograms appear on the product labels.



For more information on the correct use of abrasives, see the safety recommendation leaflets from FEPA. If you do not have these leaflets, please do ask us for them.

Jameson Fitzgerald LTD

Charvey Ln
Commons
Rathnew
Co. Wicklow
A67 E942

email - sales@justfasten.ie

www.justfasten.ie

Tel: **0404 25725**

Fax:0404 25726